# Lockheed Martin Space Quality Clauses

Lockheed Martin

# Quality C lauses

| Q-Code | QI D | Title | Long -Text |
|---|---|---|---|
| QUALITY MANAGEMENT SYSTEMS | | | |
| QAQC02 | 1 | QMS ² QAQC02 QUALITY SYSTEM DESIGN | Quality Assurance in Design/Development, Production, Installation, and Servicing; and be approved in EXOSTAR at the time of production. Third party registration by an accredited registrar under the International Accreditation Forum may be accepted; if the Manufacturer changes registrars, loses its registration status, or is put on notice of losing its registration status, it shall notify LM. A Manufacturer declaring system compliance to AS9100 with no accredited registration must be subject to an onsite survey and approval. The Manufacturer's Quality System w |

| | | |
|---|---|---|
| QQD4K3 | Q | QUALITY PROGRAM REQUIREMENTS (ANSI/NCSL Z540.1) 7 K H & R Q W U D F W R U ¶ V & D O L E U D W L R Q 6 \ V W H P V K D O O F R Q I R U P W R |

| | | | |
|---|---|---|---|
| QTP | Q | PRODUCT ASSURANCE OD63425 APPLIES | Active Supplier and supplier's subtiers shall comply with the requirements of the current issue of OD63425 for all materials and processes specified in design disclosure called out in this purchase order or subcontract. Requests for changes to OD63425 to add or modify substitutions shall be submitted to LM subcontracts via a Supplier (Supplier) Request for Information or Change (VRIC) in accordance with A689426. |
| QEDSS | Q | ELECTRONIC DATA SUPPLIER SUBMITTAL | All supplier documentation must be submitted electronically to LM Space using the Electronic Data Supplier Submittal (EDSS) system.<br><br>EDSS is a proven data storage and retrieval system used by LM Space to provide secure, two-factor authentication storage and retrieval of supplier data. Supplier access to the EDSS tool is achieved by using ³$FFHVV/0´<br><br>Supplier must contact the LM Space Supply Chain Quality Assurance EDSS sponsor or their LM Space *OREDO 6XSSO\ &KDLQ UHSUHVHQWDWLYH IRU KHOS VXSSRUW R EDSS tool.<br><br>Send Email to EDSS Resource Account: wgc-edss.fc-lmssm@lmco.com to contact EDSS sponsor.<br>EDSS training material can be found:<br>https://www.lockhe |

-

| | | | |
|---|---|---|---|
| | | | The Contractor shall insert the substance of this clause, including this sentence, in all lower-tier purchase orders for work performed under this Purchase Order. |
| QSPS | Q | SPECIAL PROCESS APPROVAL AND CERTIFICATION | |

| | | | |
|---|---|---|---|
| Q1Z | Q | SUPPLIER NON-CONFORMANCE REQUIREMENT INSTRUCTIONS | Submit the following to LM: 1.Proposed changes to LM-approved technical, supplier configuration or V X S S O L H U S U R F H V V U H T X L U H P H Q W V 0 D W H U L D O S D U W V R U D requirements via Supplier Request for Information or Change (VRIC). A Subcontract or Purchase Order Change Notice will list each LM-approved change and/or LM Material Review Board action(s). |
| Q3Z | Q | 6 8 3 3 / , ( 5 ³ 5 ( ' ) / $ * ´ 7 , 0 ( / < FAILURE REPORTING | Report Acceptance, Qualification and/or 5 H O L D E L O L W \ 7 H V W I D L O X U H V R I G H O L Y 3 U R F X U H P H Q W 5 H S U H V H Q W D W L Y H Y L D D Y H U L I L D E O H P H W K R G Z configuration shall not be disturbed until the failure is verified or until directed by LM. Written notification, |

· And it is:

· Reference to previous NDI/NDT reports for repair/rework if applicable;
· Reference to attached recordings i.e., films or photographs if applicable; A record of the procedures or techniques used and actual results shall remain on file for at least five years after shipment to Customer and shall be furnished to Customer upon request. These records shall include all information required in the previous paragraph as well as acceptance / rejection criteria, and related test instrument data used in the

| | | | |
|---|---|---|---|
| QML | Q | RADIATION LOT ACCEPTANCE TEST | Supplier must accomplish Radiation Lot Acceptance Test (RLAT) testing of items delivered under this PO. |
| QQTS | Q | | Particle Impact Noise Detection Testing (PIND) Devices listed in this order shall be 100% Particle Impact Noise Detection (PIND)-tested per: |
| | | PIND TEST REQUIRED | |

| | | | |
|---|---|---|---|
| QQK | Q | ABBREVIATED RAW MATERIAL CERT | Hardware delivered per this order shall be traceable to the raw material used for manufacture by source (lot, batch or heat number, material type, specification, applicable revision letter or number and records of acceptance).The lot identifier shall be recorded on all certificates and packages for this order. |
| QSN | Q | Data required with shipment | Drawings, sketches, and specifications sufficient to inspect and/or test this material shall accompany each shipment under this contract. |
| QTD1 | | | |

| | | | |
|---|---|---|---|
| | | | time the articles or materials are ready for inspection or test.<br><br>The Organization shall make available to the PQAR all applicable drawings, specifications, procedures, V W D W H P H Q W V R I Z R U N, test software, and changes thereto, related inspection and/or test equipment, and such other information as may be required to satisfactorily perform the inspections and tests required under this Order. |
| QAQC15 | Q | AQC15 FIRST ARTICLE INSPECTION | Organization is required to perform 100 percent inspection and record the attributes for the first article of this Contract / Purchase Order, and shall be in accordance with AS9100 and AS9102. If the deliverable is an assembly, this inspection shall also include all of the piece parts that make up the assembly. The inspection records and data shall be per AS9102 and shall identify each characteristic and feature required by design data, the allowable tolerance limits, and the actual dimension measured as objective evidence that each F K D U D F W H U L V W L F D Q G I H D W X U H K D V E H H Q L Q V S H F W H G D Q G D F function. When testing is required, the parameters and results of the test shall be recorded in the same P D Q Q H U 7 K H ) L U V W $ U W L F O H , Q V S H F W L R Q 5 H S R U W P X V W V K R Z quality assurance representative.<br><br>The First Article(s) shall be produced on production equipment and using processes which will be utilized on production runs.<br><br>Additionally, the Organization shall perform additionallt artAele(s I5(z)ection and sham -7(i)5(r4(i)5(r)-13(s)-5( |

| | | |
|---|---|---|
| QPWB3 | Q | PWB CONFORMANCE COUPON INSPE |

| | | | |
|---|---|---|---|
| | | | The organization must specify the handling and shipping methods that ensure proper and on-time delivery without damage to the product. The organization shall ensure that special labeling requirements shall also be listed in the appropriate shipping documents and on each package. |
| QAQC29 | Q | AQC29 ESD PROTECTION PROGRAM AND PACKAGING | The organization shall document and implement an ESD Control Program in accordance with ANSI/ESD S20.20, ESD Association Standard for the Development of an Electrostatic Discharge Control Program for Protection of Electrical and Electronic Parts, Assemblies and Equipment (Excluding Electrically Initiated Explosive Devices). Parts must be properly packaged and identified as required in ANSI/ESD-S20.20. All goods will be placed in conductive or static-dissipative packages, tubes, carriers, conductive bags, etc., for shipment. The packaging must be clearly labeled to indicate that it contains electrostatic sensitive goods. Electrical parts that may be used or shipped in conjunction with ESD sensitive parts shall be treated as ESD sensitive. |
| QBRCD | Q | BARCODE LABEL REQUIRED | Barcoded labels are required and must be completed through the Ship-To LMC module in LMP2P, accessible through Exostar at http://www.myexostar.com; Exostar Helpdesk: 703-793-7800.<br><br>For information on how to use the ship-to-module, view the downloadable guide here. For suppliers approved to Q4M (SQDANQ4M00), refer to the Q4M definition located in the 253-01 document for specific ship-to-module directions. |
| QC2 | Q | TIME AND TEMPERATURE SENSITIVE MATERIAL | Time and temperature storage conditions must be attached to the packing sheet and accompany each shipment to be delivered hereunder. The outer most shipping box must be marked to indicate "Time and Temperature Sensitive Material" next to the shipping label. The time and temperature sensitive label text font size must be minimum one inch high, not to exceed six inches high.<br><br>*Note: If packaging dimensions do not allow for minimum one-inch text, apply largest text possible. |
| QC7 | Q | SENSITIVE FLIGHT/GROUND EQUIPMENT | SENSITIVE FLIGHT/GROUND EQUIPMENT, HANDLE WITH EXTREME CARE. |
| QC8 | Q | ELECTROSTATIC SENSITIVE DEVICES | |

| | | | |
|---|---|---|---|
| | | | continued traceability of serial numbers or lot number identification through all phases of manufacture, commencing with the raw material and continuing through final acceptance of the end item.<br><br>Records held for the required retention period (ten years) shall not be destroyed without Customer's written concurrence. |
| QAQC27 | Q | AQC27 EEE PARTS DATE OF MANUFACTURE | All Electrical, Electronic or Electromechanical (EEE) parts procured from the organization or its suppliers shall have been manufactured within three (3) years from the delivery date for Plastic Encapsulated Microcircuits (PEMs) and five (5) years for all others. This shall include all sub-assemblies of the article being procured.<br><br>Any deviation from this requirement shall be in the form of a written authorization from the procuring agency, and the authorization shall be included with each shipment. |
| QAQC28 | Q | AQC28 EEE SINGLE LOT/DATE CODE | The full quantity of date code controlled Electrical, Electronic, and Electromechanical (EEE) parts, each part number, provided under this Purchase Order / Contract must have a single lot-date code. The organization Z L O O R E W D L Q W K H Z U L W W H Q D S S U R Y D O R I W K H F X V W R P H U ¶ V D goods that do not meet this single lot / date code requirement.<br><br>, Q W K H H Y H Q W W K D W W K H F X V W R P H U ¶ V S X U F K D V L Q J U H S U H V H Q date codes, the organization shall provide a copy of the written authorization with the shipping document.<br><br>When mixed lot / date codes are authorized, the shipping document shall list individual lot / date codes and quantity. Multiple lot / date codes shall not be co-mingled. In addition, the individual part containers shall be marked with the quantity and lot / date code. |
| QC1 | Q | AGE CONTROL OF RUBBER GOODS | Rubber goods delivered under this Contract shall be identified with cure date or manufacture date, as applicable, and/or shelf life information in accordance with the applicable material specification. Age sensitive rubber goods shall be individually packaged and delivered within 6 months of the cure date or manufacture date. |
| QDJ | Q | LOT DATE CODE TRACEABILITY | Items delivered under this order shall be traceable to the individual wafer, assembly qualification, and/or test lot(s). Individual traceable products shall be lot-date-coded. |
| QDL | Q | LOT DATE CODE ONE YEAR | Supplier shall, for each part identity, provide all parts with a lot-date-code no more than one (1) year prior to the date of the Purchase Order to LM. |
| QDM | Q | LOT DATE CODE TWO YEARS | Supplier shall, for each part identity, provide all parts with a lot-date-code no more than two (2) years prior to the date of the Purchase Order to LM |
| QM12 | Q | MATERIAL TRACEABILITY FOR BUILD TO9.89 52(he)4( ) | |

| | | | |
|---|---|---|---|
| | | | IDENTIFICATION<br><br>Design specifications, source control drawings, and other procurement documentation shall include provisions for identification of materials, parts, and assemblies through one or both of the following procedures:<br><br>A) Serialization of individual elements, such as parts, boards, modules, assemblies, etc., as appropriate with each element identified by a unique number or code.<br><br>B) Lot/group identification when processing impacts a common characteristic within the lot (e.g., mix number, heat number, wire spool, etc.) with each lot identified by a unique number or code.<br><br>RECORDS<br><br>The contractor shall maintain fabrication records which summarize the identification of elements within an assembly. Records, shall include name of supplier, date of manufacture, screening date and other pertinent information. |
| QM17 | Q | SINGLE DATE/LOT CODE | Parts delivered against this Contract shall be from a single date/lot code. The lot identifier shall be recorded on all certificates and packages for this order. Authorization for shipments with multiple date/lot codes must be pre-coordinated with your Lockheed Martin Buyer and documented on the PO/subcontract. When mixed date/lot codes are authorized, the shipping document shall list individual date/lot codes and quantity. Multiple lot/date codes shall not be co-mingled. |
| QT12 | Q | SUPPLIER RETAIN TEST DOCUMENTATION TWELVE YEARS | Supplier shall retain test reports/inspection records/evidence of acceptance for a minimum of twelve (12) years from the date of delivery. |
| QT7 | Q | SUPPLIER RETAIN TEST DOCUMENTATION SEVEN YEARS | Supplier shall retain test reports/inspection records/evidence of acceptance for a minimum of seven (7) years from the date of delivery. |
| QT9 | Q | PWB PROCUREMENT DOCUMENT REQUIREMENTS | Printed wiring boards shall meet the requirements and Engineering Purchasing Specification(s) listed in the |

| PROGRAM SPECIFIC | | | |
|---|---|---|---|
| GPS3 | | | |
| QSQP | Q | GPS3 QUALITY ASSURANCE PLAN | Supplier must comply with the requirements of the GPS III Subcontract Quality Assurance Plan 3GPS-PN-07-0602. |
| OPOC | | | |
| QD13 | Q | MANNED SPACE FLIGHT | Articles ordered in this contract are for use in Manned Space Flight. Materials manufacturing, and workmanship of highest quality standards are essential to astronaut safety. If you are able to supply the desired items with a quality which is higher than that of the items specified or proposed, you are requested to bring this fact to the immediate attention of the purchaser via a LMSSC Vendor Request for Information R U &K D Q J H 95,& R U V H O O H U V ¶ F R Q W U D F W O H U a document LMSSC V U H V S R Q V H S U L R U W R V K L S P H Q W R I W K H P D W H U L D O $V R I R E M Conformance represents the materials supplied comply to this clause. This clause will be inserted in all subcontracts and purchase |

| | | | |
|---|---|---|---|
| QQZ11 | 1 | SMP010740U04 | SMP010740U04, Supplier Technical Program Management (Quality and Inspection System Requirements) for Suppliers of Missile System Hardware, SMP010740U04. |
| QQZ111 | 1 | F120689 | F120689, Supplier Technical Program Management (STPM) Requirements for High Control LCTMK Products. |
| QQZ181 | 1 | D274866 | D274866, Inspection System Rqmts for MSD Suppliers; See Addendum 1, Doc. No. D598154 |
| QQZ19 | 1 | SMP09478U04 | SMP09478U04, SUPPLIER TECHNICAL PROGRAM MANAGEMENT REQUIREMENTS FOR HIGH CONTROL LCTMK COTS PRODUCTS |
| QQZ20 | 1 | SMP09479U04 | SMP09479U04, SUPPLIER TECHNICAL PROGRAM MANAGEMENT REQUIREMENTS FOR LCTMK COMMERCIAL FLIGHTPROOF TESTED PRODUCTS |
| QQZ22 | 1 | SMP010750U05 | SMP010750U05, Supplier Tech Program Management Requirements for Missile Test & Readiness Equip. (MTRE) |
| QQZ304 | 1 | SMP012701U05 | SMP012701U05, Supplier Technical Program Management Requirements for Honeywell for the Manufacture of Small Reentry Body Inertial Measurement Unit (SRIMU) |
| QQZ9 | 1 | SMP010710U05 | SMP010710U05, Supplier Technical Program Management (STPM) for Support Equipment Suppliers - Updated |
| QZ187 | 1 | D370408 | D370408, LOA - Use of PA STD 8700-Q001A and PA STD 8700-Q002A |
| QZ238 | 1 | D915700 | LMSSC D915700, Supplier Technical Program Management (STPM) Document for Missile System Hardware (including Addendum 1 and Addendum 2) applies. |
| QZ253 | 1 | D915710A | LMSSC D915710, Supplier Technical Program Management (STPM) Document for Missile System Division Support Equipment (including Addendum 1 and Addendum 2) applies. |
| QZ260 | 1 | D915721 | D915721, PA Quality Requirements for PCM Telemetry Systems |
| QZ263 | 1 | D915740 | LMSSC D915740, Supplier Technical Program Management (STPM) Document for Suppliers of Missile System Division (MSD) Hardware (including Addendum 1) applies. |
| QZ271 | 1 | D915750 | LMSSC D915750, Supplier Technical Program Management (STPM) Document for Missile Test and Readiness (including Addendum 1) applies. |
| QZ299 | 1 | SMP010700U04 | SMP010700U04, Supplier Technical Program Management (STPM) Requirements for Missile System Hardware, applies. |
| QZ312 | 1 | OD 65235 Class 1 | OD 65235 Supplier Quality Requirements for the Trident D5 Life Extension Program ±Class 1 Requirements apply |
| QZ313 | 1 | OD 65235 Class 2 | OD 65235 Supplier Quality Requirements for the Trident D5 Life Extension Program ±Class 2 Requirements apply |
| QZ314 | 1 | OD 65235 Class 3 | OD 65235 Supplier Quality Requirements for the Trident D5 Life Extension Program ±Class 3 Requirements apply |
| QZ315 | 1 | OD 65235 Class 4 | OD 65235 Supplier Quality Requirements for the Trident D5 Life Extension Program ±Class 4 Requirements Apply |
| QZ320 | 1 | SMP10764U09 | SMP10764U09 - Product Assurance Quality Requirements (PAQR) Criteria for Supplier Production Readiness |
| QZ321 | 1 | SMP010711U09 | SMP010711U09 - Supplier Technical Program Management (Quality And Inspection System Requirements) For Suppliers of Nuclear Weapons Security ±Shore |
| QZ7 | | | |

| | | | |
|---|---|---|---|
| QZ12 | Q | SMP010741U05 | SMP010741U05, Product Assurance Quality Requirements for FBM Hardware - Updated |
| QZ120 | Q | A267976 | A267976, PAWS 21 - Hi-Rel Test Data and Lot Acceptance Test (LAT) Sample Control |
| QZ121 | Q | A267987 | A267987, PAWS 37 - Process Charts & Flow Diagrams |
| QZ122 | Q | A267991 | A267991, PAWS 41 - Test Report Requirements for hardware Other Than Pyrotechnics |
| QZ125 | Q | A268005 | A268005, PAWS 56 - Retention of Product Quality Records |
| QZ126 | Q | A268008 | A268008, PAWS 62 - Product Assurance Documentation |
| QZ127 | Q | A268012 | A268012, PAWS 64 - Product Assurance Documentation - Production |
| QZ128 | Q | A268016 | A268016, PAWS 61 - Supplier Dispostion of Nonconforming Material |
| QZ13 | Q | SMP010743U05 | SMP010743U05, Product Assurance Quality Requirements (PAQR) for PBCS Coupling and Seal - Updated |
| QZ131 | Q | A268035 | A268035, PAWS 67 - Tool Control |
| QZ132 | Q | A268043 | A268043, PAWS 77 - |

| | | | |
|---|---|---|---|
| | | | new FAI by submitting a Vendor Request for Information or Change (VRIC) in accordance with LMSSC/A689426. The supplier must not produce any production hardware until the LMSSC response has been issued. |
| QZ153 | Q | A268127 | A268127, PAWS 65 - Traceability/Lot Control Records (Functional Piece Parts) |
| QZ154 | Q | A268128 | A268128, PAWS 75 - Operating Time/Cycle Record (OT/CR) |
| QZ155 | Q | A268130 | A268130, PAWS 93 - Failure Modes and Effects Analysis (FMEA) |
| QZ156 | Q | A268132 | A268132, PAWS 32 - Traceability of Raw Materials in Non-Serialized Hardware Items |
| QZ157 | Q | A268133 | A268133, PAWS 33 - Reliability Test Data (RTD) for Propulsion and Ordnance Hardware |
| QZ16 | Q | SMP010781U05NC | SMP010781U05NC , Letter of Promulgation and Implementation of LMSSC SMP010781U05 Rev NC, ADDENDUM (EXCEPTIONS) TO LMSSC/ ADDENDUM 2 of D915700 |
| QZ160 | Q | A268137 | A268137, PAWS 47 - Process & Material Change Control in Non-Serialized Items |
| QZ161 | Q | A268140 | A268140, PAWS 30 - Variables Test Data (VTD) |

| | | | |
|---|---|---|---|
| QZ279 | Q | D941155 | D941155, MOU Btwn LMSC and Loral Data System/Conic Pertaining to Procurement Rqmts for Telemetry Transmitters & Destruct RFU(s) |
| QZ28 | Q | F120030 | F120030, Product Assurance Quality Requirements for Production Software Control |
| QZ280 | Q | D941158 | D941158, Information & Clarification for Phase I and Phase II Proofing of Supplier Test Station |
| QZ281 | Q | D941159 | D941159, Memo of Agreement Btwn LMSC and Ford Aerospace Communication Corp. Pertaining to Procurement Rqmts for LMSC D915710A STPM Rqmts |
| QZ282 | Q | D941160 | D941160, Memo of Agreement Btwn LMSC and ITT Cannon electric Co., Pertaining to Acceptance Testing of A3TK Umbilical Plug Refurbishment |
| QZ283 | Q | D941161 | D941161, Memo of Agreement Btwn LMSC/MSD and Kaman Instrumentation Corp. |
| QZ284 | Q | D941164 | D941164, Memo of Understanding D5 Supplier Direct Ship Hardware List |
| QZ285 | Q | D941165 | D941165, Direct Ship of Missile Hardware to SWFLANT Plan |
| QZ286 | Q | D988446CB AD | D988446BC, Addendum (Exceptions) to LMSC/D824156C Applicable to Contracts Btwn LMSC MSD & Genicom Corp., Pertaining to STPM Rqmts for Trident II (D5) Relays |
| QZ287 | Q | D990249B | D990249B, Memo of Understanding Btwn LMSC and ARC Pertaining to Procurement Rqmts for D5 Nose Fairing Jettison Motor PBCS Gas Generator |
| QZ30 | Q | F120040 | F120040, Letter of Agreement Btwn LMSC & D5 Multilayer Board Suppliers Pertaining to STPM Rqmts for Missile System Hardware |
| QZ300 | Q | D824158-15 | D824158-15, DRD - FTS Filter Crystal Assembly |
| QZ302 | Q | | |

| | | | |
|---|---|---|---|
| QZ319 | Q | SMP010786U06 | SMP010786U06 - Product Assurance Quality Rqmts for Calibration/Verification Maintenance of Test Equipment |
| QZ32 | Q | F120055 | F120055, PAWS 48 - Manufacturing Supplier Control of Pre-Released Hardware |
| QZ323 | Q | SMP010716U09A | SMP010716U09A - Subcontractor Procurement Requirements, for D5 Life Extension Heritage Resistor, Magnetics, Relays Selective Suppliers. |
| QZ33 | Q | F120056 | F120056, PAWS 94 - Advanced Procurement Program LMSC |

| | | |
|---|---|---|
| QZ61 | Q | F120161 |

| | | | |
|---|---|---|---|
| QZ92 | Q | F120248 | F120248, LOA between LMSC and Honeywell AlliedSignal Inc., Aerospace Systems and Equipment for Third Stage Hydraulic Assemblies |
| QZ93 | Q | F120250 | F120250, LOA between LMSC and AlliedSignal Aerospace, Redmond WA |
| QZ94 | Q | F120252 | F120252, PAWS 101, Requalification Considerations for Trident II Program |
| QZ95 | Q | | |

# REVISION LOG

| Date | Change | Details |
|---|---|---|
| 10/17/2006 | Added: QZ299 | SMP010700U04 ±FBM program specific |
| | Added: QD4K6 | Test Facility Requirements ±requested by Palo Alto, CA |
| | Added: QTC5 | Authorized Dealer Dist ±OEM ±requested by Special Programs Sunnyvale, CA |
| | Added: QZ304 | SMP012701U05 ±FBM program specific |
| | Added: QZ305 | SMP010704U05A ±FBM program specific |
| | Added: QZ306 | SMP010761U05 ±FBM program specific |
| | Added: QZ307 | SMP010782U05-24 ±FBM program specific |
| | Added: QZ308 | SMP010782U05-21 ±FBM program specific |
| | Added: QZ309 | SMP 010782U05-19 ±FBM program specific |
| | Updated: QN5 | Updated F120061 to Rev E, updated F120172 to Rev C |
| | Updated: QT8 | Updated to reflect Parts, Materials & Processes |
| | Updated: QASLA | Updated to reflect PMP |
| | Updated: QZ241 | Updated to reflect D915701 instead of D915700 |
| | Edited: QZ94 | Previously was not a complete sentence ±FBM program specific |
| 11/16/2006 | Added: QT4E | Per FBM Request |
| | Added: QZ310 | SMP010789U06 ±FBM program specific |
| | Added: QZ311 | SMP010790U06 ±FBM program specific |
| | Updated: QYX | Per FBM Request |
| 11/21/2006 | Updated: QYX | 5HPRYH ³RQVLWH YDOLGDWLRQ UHTXLUHG´ ±FBM request |
| | Updated: QYW | 5HPRYHG ³RQVLWH YDOLGDWLRQ UHTXLUHG´ DQG D accredited registrar will be accepted. Contractor declaring system compliance to $6 ZLWK QR IRUPDO DFFUHGLWHG ±FBM request |
| | Updated: QZ287 | Updated to reflect Rev B ±FBM request |
| | Updated: QASLB | Added reference to PMP Database |
| 1/31/2007 | Added: QZ312, QZ313, QZ314, QZ315 | Per FBM Request |
| | Added: Q7Z | Lot Date Code 10 years |
| 3/28/2007 | | |

| | | |
|---|---|---|
| | Updated: QZ92 | Per FBM Request |
| 6/14/2007 | Edited: QCF | Edit to wording per FBM Request |
| 6/28/2007 | Edited: QCF | Returned to original wording |
| 8/20/2007 | Update: QTP | Removed reference to Addendum 1 and 2 |
| 10/31/2007 | Added: QTD2 | Per FBM Request |
| 1/31/2008 | Added: QZ317 | SMP010708U07 ± |

3/g /GS8 g

| | | |
|---|---|---|
| | Updated: QZ320<br>Added: Q4M | QZ320 updated to replace SMP010762U08 with SMP10764U09 (per FBM request)<br>Q4M code added for supplier requirement clarification. Q4M is NOT to be flowed on PO; the sole purpose is to provide information to suppliers that are Q4M approved.<br><br>*An additional update to the doc was made to re P R Y L G \ V W H P V & R G H Q \ ´ Lockheed Martin Space references. |
| 06/01/2020 | Updated: QC2 | QC2 updated to require a minimum ´ I R Q W V L ] H D Q G S O D F H P H Q W temperature sensitive label. |
| 07/13/2020 | Updated: QZ299<br>Edited: QOPR | |