Lockheed Martin Space Quality Clauses

Lockheed Martin (LM) hereinafter shall mean Lockheed Martin Space. Notwithstanding any other provisions, all articles furnished hereunder are subject to the General Provisions of the Procurement Document and the following Special Provisions Quality Assurance Clause(s) when indicated by Quality Code(s).

Articles defined in the Procurement Document will not be accepted by Lockheed Martin if the Supplier fails to submit certification, documentation, test data, and reports specified herein.

Quality Clause Cross Reference Instructions:

Scroll down to find the LM Quality Code, Quality Clause title and text, or use the Microsoft find function in Word to locate the Quality Clause Text. Go to “Edit” and “Find”. Type the Quality Code and select “Find Next”.

Quality Clauses

Q-Code	QID	

QQD4K3	Q	QUALITY PROGRAM REQUIREMENTS (ANSI/NCSL Z540.1)	The Contractor's Calibration System shall conform to the requirements of the elements described in ANSI/NCSL Z540.1, either part 1 or part 2, and is subject to review and approval at all times by Lockheed Martin.. Third party registration by an accredited registrar will be accepted. Contractor declaring system compliance to ANSI/NCSL Z540.1 with no formal accredited registrar, will be reviewed. The Contractor's system will be subject to review and approval at all times by Lockheed Martin. The Contractor's signed

QB11	Q	CERTIFICATE OF

5. Buyer drawing number and Revision
6. Buyer parts list revision when parts list is specified on Buyer drawings or defined in the PO.
7. Seller part number and revision when specified as part of the Buyer drawing requirements
8. Traceability Data (if applicable) (i.e. serial number, date code, production lot number)

For Seller Part Numbers, C of C shall identify at a minimum:

1. Seller's name
2. Manufacturer’s Address, Cage Code, or DUNS
3. Buyer PO and Line Item number
4. Material quantity
5. Seller part number
6. Traceability Data (if applicable) (i.e. serial number, date code, production lot number)

For Special Processes Used to Produce Purchased Part by Buyer, C of C shall identify at a minimum:

1. Special processor's name
2. Manufacturer’s Address, Cage Code, or DUNS
3. Date special process performed

Lockheed Martin approval of sub-tier special processing does not relieve the Contractor of the responsibility to ensure that work performed by sub-tier contractors is in accordance with specification requirements and PO codes.

Sub-Tier suppliers with a Quality only profile, (Qxxxxxxxxx) Supplier ID, must also verify that current Quality system, AS9100/ISO 9001/AS9003/ AC7004 approval are current in Exostar as well as Special Process approvals prior to processing through completion of processing. See Exostar link below for Current Approval guidebook.

Lockheed Martin approval of sub-tier special processing does not relieve the Contractor of the responsibility to ensure that work performed by sub-tier contractors is in accordance with specification requirements and PO codes.

Sub-Tier suppliers with a Quality only profile, (Qxxxxxxxxx) Supplier ID, must also verify that current Quality system, AS9100/ISO 9001/AS9003/ AC7004 approval are current in Exostar as well as Special Process approvals prior to processing through completion of processing. See Exostar link below for Current Approval guidebook.

Initial PO requirements review should happen when PO is received from LM or first tier supplier. Possible gates/error proofing can be placed on your traveler, shop work order or router to verify current QMS and Special Process approval are in Exostar prior to special process being performed through completion, with a buy-off step annotated.

Note: There is an LM-controlled hierarchy table running in the background. When the contractor searches fora specific 10-digit approval code, the output will show all suppliers approved to that approval code and all suppliers approved to an acceptable hierarchy approval code. You must also verify supplier's QMS approval.

To look up supplier approvals:

Under the header "**Receiving and Supplier Quality**, **Current Approvals"** section, is a step-by-step instruction on how to look up supplier approvals. Exostar link: https://www.myexostar.com/?ht_kb=lmp2p-training-resources

The Contractor shall utilize the "Ship To" module in LMP2P to fill out the Special Processor ID field under the "Ship-To Barcode" generation tab prior to shipping material.

Contractor/First-Tier supplier: If this purchase order line item is for material that will be shipped to LM or a facility designated by LM, please log-on to your Exostar account.

A comprehensive step-by-step guide to the "

Test failure. Interim Reports may be required at intervals not to exceed 30 days. Upon Failure resolution, a

QQTS	Q	PIND TEST REQUIRED	Particle Impact Noise Detection Testing (PIND) Devices listed in this order shall be 100% Particle Impact Noise Detection (PIND)-tested per: (1) MIL-STD-883, Method 2020, Test Condition "A", for microcircuits, (2) MIL-STD-883, Method 2020, Test Condition "A" or "B", for hybrids, (3) Mil-STD-750, Method 2052,Condition "A", for transistors, (4) Mil-PRF-19500 for diodes, and (5) Mil-PRF-39016, Rev. E, Appendix "B", and the Manufacturer's Approved Procedure, for relays. The manufacturer or a Lockheed Martin-approved test lab shall perform PIND testing to the above requirements. PIND test data shall be delivered with the parts listed in this order.

			shipments, these requirements apply to both basic and finished cable. When the specification requires other inspection or test data to be reported, it shall be included in the test report. Reports shall provide the Organization or Supplier's name, the specification number and revision date or change letter, and other data required by the specification, and must be identified to or correlated with the lot shipped.
QB1	Q	RADIOGRAPHS	Radiographs shall be supplied with the material to Lockheed Martin.
QB14	Q	SUPPLIER DATA SHEET	Supplier data sheet shall be provided with shipment.
QB2B	Q	SUPPLEMENTAL DATA REQUIREMENTS (CASTINGS/FORGINGS)	In addition to chemical/physical test reports stating the actual chemical and mechanical properties for each lot submitted, inspection/test data listed below shall be submitted for each lot of castings or forgings as

QSN	Q	Data required with shipment

QAQC14	Q		Customer source inspection is required prior to shipment of articles from the Organization's facility. Upon receipt of this Order and prior to commencing work, promptly notify the Customer's Procurement Quality Assurance Representative (PQAR) assigned to the Organization's facility so the appropriate inspection plan can be coordinated. The supplier shall use EXOSTAR to arrange source inspection. The supplier may view a source inspection request process document using the following link: https://www.myexostar.com/?ht_kb=lmp2p-training-resources
		QAQC14 CUSTOMER SOURCE INSPECTION (CSI)	In the event that a Procurement Quality Assurance Representative does not normally service the

QAQC29	Q	AQC29 ESD PROTECTION PROGRAM AND PACKAGING	The organization shall document and implement an ESD Control Program in accordance with ANSI/ESD S20.20, ESD Association Standard for the Development of an Electrostatic Discharge Control Program for Protection of Electrical and Electronic Parts, Assemblies and Equipment (Excluding Electrically Initiated Explosive Devices). Parts must be properly packaged and identified as required in ANSI/ESD-S20.20. All goods will be placed in conductive or static-dissipative packages, tubes, carriers, conductive bags, etc., for

Q7Z	Q	LOT DATE CODE TEN YEARS	Supplier shall, for each part identity, provide all parts with a lot-date-code no more than ten (10) years prior to the date of the Purchase Order to LM.
QAQC25	Q		Organization and Organization's Subcontractors shall maintain verifiable objective evidence of all inspections and test performed, results obtained and dispositions of non-conforming articles. These records shall be identified to associated articles, including heat and lot number of materials, unit or lot serialization
		AQC25 RECORD RETENTION	

QM12	Q	MATERIAL TRACEABILITY FOR BUILD TO PRINT PURCHASES

			shall be retrievable, within 24 hours after a request by LM, for 3 years after closure of this PD. Notify LM when the 3 year retention period expires and request further direction.
QVT	Q	SUPPLIER RETAIN TEST DOCUMENTATION FIVE YEARS	Supplier shall retain test reports/inspection records/evidence of acceptance for a minimum of five (5) years from the date of delivery.
[redacted]	Q	SUPPLIER RETAIN TEST DOCUMENTATION SIX YEARS	Supplier shall retain test reports/inspection records/evidence of acceptance for a minimum of six (6) years from the date of delivery.
PROGRAM SPECIFIC			
GPS3			
QSQAP	Q	GPS3 QUALITY ASSURANCE PLAN	Supplier must comply with the requirements of the GPS III Subcontract Quality Assurance Plan 3GPS-PN-07-0602-FOP.
QGPSGC	Q	GROUP C TEST REVIEW	GPSIII Code Only: For MIL-PRF-38534 Class K components, the supplier shall perform the following: Prior to accepting each purchase order received, the Supplier shall review Group C test requirements per MIL-PRF-38534 and identify when Group C requalification is required. The Supplier shall provide an electronic copy of most recent test data to the Purchasing Agency for verification. The Purchasing Agency will verify and instruct supplier. The Supplier shall provide a copy of the most recent group C test data as part of the final End Item Data Package (EIDP) with shipment.

QZ271	1	D915750	LMSSC D915750, Supplier Technical Program Management (STPM) Document for Missile Test and Readiness (including Addendum 1) applies.
QZ299	1	SMP010700U04	SMP010700U04, Supplier Technical Program Management (STPM) Requirements for Missile System Hardware, applies.
QZ312	1	OD 65235 Class 1	OD 65235 Supplier Quality Requirements for the Trident D5 Life Extension Program – Class 1 Requirements apply

QZ323	Q	SMP010716U09A	SMP010716U09A - Subcontractor Procurement Requirements, for D5 Life Extension Heritage Resistor, Magnetics, Relays Selective Suppliers.
QZ33	Q	F120056	F120056, PAWS 94 - Advanced Procurement Program LMSC Product Assurance Source Surveillance
QZ34	Q	F120058	F120058, PAWS 42 - Functional Test Requirements for Support Equipment (SE) Spare Parts
QZ35	Q	F120060	

QZ95	Q	F120262	F120262, Memo of Understanding, Sunstrand Rockford and LMMS Inspection Requirements Sunstrand Machine Facilities
QZ96	Q	F120264	F120264, Storage & Surveillance Plan for Flexible Linear Shaped Charge (FLSC). Supplier Location: Crane

REVISION LOG

Date	Change	Details
10/17/2006	Added: QZ299	SMP010700U04 – FBM program specific
	Added: QD4K6	Test Facility Requirements – requested by Palo Alto, CA
	Added: QTC5	Authorized Dealer Dist – OEM – requested by Special Programs Sunnyvale, CA
	Added: QZ304	SMP012701U05 – FBM program specific
	Added: QZ305	SMP010704U05A – FBM program specific
	Added: QZ306	SMP010761U05 – FBM program specific
	Added: QZ307	SMP010782U05-24 – FBM program specific
	Added: QZ308	SMP010782U05-21 – FBM program specific
	Added: QZ309	SMP 010782U05-19 – FBM program specific
	Updated: QN5	Updated F120061 to Rev E, updated F120172 to Rev C
	Updated: QT8	Updated to reflect Parts, Materials & Processes
	Updated: QASLA	Updated to reflect PMP
	Updated: QZ241	Updated to reflect D915701 instead of D915700
	Edited: QZ94	Previously was not a complete sentence – FBM program specific
11/16/2006	Added: QT4E	Per FBM Request
	Added: QZ310	SMP010789U06 – FBM program specific
	Added: QZ311	SMP010790U06 – FBM program specific
	Updated: QYX	Per FBM Request
11/21/2006	Updated: QYX	Remove “onsite validation required” – FBM request
	Updated: QYW	Removed “onsite validation required” and addede “Third party registration by an accredited registrar will be accepted. Contractor declaring system compliance to AS9003 with no formal accredited registrar will be reviewed.” – FBM request
	Updated: QZ287	Updated to reflect Rev B – FBM request
	Updated: QASLB	Added reference to PMP Database
1/31/2007	Added: QZ312, QZ313, QZ314, QZ315	Per FBM Request
	Added: Q7Z	Lot Date Code 10 years
3/28/2007	Updated: QZ237	Per FBM Request
	Updated QTC2	Per R.Ormond (PQAR issue)
	Updated QZ286	Updated to reflect Rev C – per FBM request
	Updated: QZ109	Corrected document number – per FBM request
6/11/2007	Added QTM5	Rejected Material Resubmission – per FBM request
	Added QZ316	SMP010783U05A – FBM program specific
	Added QTM6	Mfg’d Articles Raw Material Test Reports – per FBM request

	Updated: QZ92	Per FBM Request
6/14/2007	Edited: QCF	Edit to wording per FBM Request
6/28/2007	Edited: QCF	Returned to original wording
8/20/2007	Update: QTP	

	Added: QA10	CLASS 1 or CLASS 2 Changes; GPS3 Program Specific
	Added: QSQAP	QPS3 Quality Assurance Plan; GPS3 Program Specific
	Edited: QAQC09	Included approval requirements for Calibration System.
10/5/2009	Added: QT4F	

3/8/2011	Edited: QZ204, QZ238, QZ241, QZ253, QZ257, QZ263, QZ271

3/8/2013	Added: QQ32A	*Added duplicate codes to accommodate required changes for P2P Use Replacement for Q32A
	Added: QTC2A	PreCap Inspection - for use with non-material procurement activity (similar to QAQC14A)
3/19/2013	Added: QV15	THAAD First Article Inspection – (QAQC15 with additional text regarding notification)
	Added: QD4K7	Quality Program Requirements (ANSI/NCSL Z540.3)
4/18/2013	Updated: QV15	FAI Production Lapse Clarification
5/21/2013	Updated: QPMT	Removed CoC submittal to a source inspector
6/5/2013	Updated: QZ152	Additional clarification regarding A268126 requirements for FBM
7/21/2013	Added: QQZ6	Duplicate text for QZ6 to correct P2P setup error
8/26/2013	Edited: QZ99	Replaced the word "transformer" with "transducers" for FBM
10/9/2013	Removed: Commercial Q-Codes	No longer in use by Space Systems
10/25/2013	Edited: QQWGC	Added referral to EDSS (Electronic Data Supplier Submittal)
12/12/2013	Added: QTQC7 Updated: QTC6	Counterfeit Q-Code now applies to all materials for customer deliverables
2/11/2014	Removed: QTC4	Code Deactivated
3/7/2014	Updated: QB4, QAQC06	Additional requirement clarification
3/12/2014	Added: QBRIN1, QBRIN2	Orion program specific testing requirements
3/26/2014	[redacted]	Duplicate text for QZ3 to correct P2P setup error
4/7/2014	[redacted]	Duplicate text for QD4K7 to 70 (u

29.20 (a)5.10 (c)-6 (a)2.70 (e)1.70 (d)1.70 (n)3.40 (r)-4.20 5(o)1.7020 ( )o.70 (b)-1 0 (c)-5 (o)-10b (o)-10j70 (s)-5.9TJ
1 (s)-6.n)5.8 5/8/2013

[redacted]

11/17/2015	Removed: Q19B, Q37, Q57, QA2C, QA4H, QAQC05, QAQC07, QAQC10, QAQC12, QAQC18, QAQC19, QAQC30, QAQC31, QB12, QCC, QD13, QD15, QD16, QD5, QD8, QGL, QLT, QP3, QQD4K7, QQMY, QQS5, QQS5C, QQT8, QQTC5, QS11, QS5B, QS7, QT4C, QT4F, QTB9, QTC1, QTC3, QTR	Codes Deactivated
	Edited: QAQC13	Updated text to align with the language required by the Acquisition Compliance matrix
9/26/2016	Removed: QTU	Code Deactivated
	Added: QDTS	Dock To Stock Process
	Added: QB14	Supplier Data Sheet Submittal
	Added: QQBR	Reduced Dimensional Inspection Report
	Updated: QCF	Updated text to include physical and electronic signature
	Updated: QAQC08	Updated text of where contractually required specifications are identified
	Updated: QD27	Updated text to remove reference to DEN 412610
6/5/2017	Added: QBRCD	Barcoded Label Requirement
	Updated: QS8	Updated text to include supplier submittal requirements
9/27/2017	Edited: QT4B, QD4A, QD4B, QD4C, QAQC02	Updated text to standardize verbiage and clarify substitution QMS certification
1/10/2018	Added: QPWB3	PWB Conformance Coupon Inspection - Third Party
	Added: QPQBLM	PWB Conformance Coupon Inspection - LMSSC
5/13/2018	Added: QSP	Special Process Approval and Certification
10/21/2019 *note-v2 is the same version and was only edited for errors	Removed: Q0H, QN2, QVQ, QAQC22, QPMT, QVS, Q14, QQBR, QVU, Q19A, QSTEU, QQVX, QLMPC, QT5, QM9, QB13, QTC2A, QYW, QBRIN1, QTL, QYX, QBRIN2, QV15, QT4D, QCAV, QVP, QT4E, QB3A, QAQC01, QA7, QAQC08	Codes deactivated due to lack of use/necessity

	Updated: QZ320 Added: Q4M	QZ320 updated to replace SMP010762U08 with SMP10764U09 (per FBM request) Q4M code added for supplier requirement clarification. Q4M is NOT to be flowed on PO; the sole purpose is to provide information to suppliers that are Q4M approved. *An additional update to the doc was made to remove “Systems Company” from Lockheed Martin Space references.
06/01/2020	Updated: QC2	QC2 updated to require a minimum 1” font size and placement of time and temperature sensitive label.
07/13/2020	Updated: QZ299 Edited: QOPR	QZ299 updated to remove Rev reference. QOPR edited to QPOR to correct the typo.
08/20/2020	Updated: QPOR	Updated text to contain Supplier Quality Field Representative instead of QPAR
09/25/2020	Added QSC	Quality System Changes and Customer Findings
09/30/2020	Updated: QSC	Updated text to clarify VRIC definition
01/05/2021	Updated: QZ318	Updated text, changed Perkin Elmer Opto Electronics to Excelitas Technologies
01/28/2021	Added: QEDSS Updated: QEDSS Added: QSPS	Electronic Data Supplier Submittal Special Process Code for Classified Procurement - Requested by Special Programs
02/24/2021	Updated: QEDSS	Updated text

	Updated: QSP, QSPS	QSP, QSPS: Added clarification of the requirement for the contractor to review their approvals, QMS/SP, as well as any Subs used for processing. Added links to Exostar help guides. Removed special process definition.
	Updated: QSQAP	
11/16/2023		
	Updated: QAQC14 and QAQC14A	
	Updated: QPOR	