Lockheed Martin Space Quality Clauses

Lockheed Martin hereinafter shall mean Lockheed Martin Space. Notwithstanding any other provisions, all articles furnished hereunder are subject to the General Provisions of the Procurement Document and the following Special Provisions Quality Assurance Clause(s) when indicated by Quality Code(s).

Articles defined in the Procurement Document will not be accepted by Lockheed Martin if the vendor/contractor fails to submit certification, documentation, test data, and reports specified herein.

Quality Clause Cross Reference Instructions:

Scroll down to find the LM Quality Code, Quality Clause title and text, or use the Microsoft find function in Word to locate the Quality Clause Text. Go to “Edit” and “Find”. Type the Quality Code and select “Find Next”.

If you have any questions regarding the use of this list, please contact the subcontract administrator as identified on the procurement document.

Q0H	COUPONS/CROSS SECTIONS FIVE YEAR RETENTION

Q32	PART QUALIFICATION TESTS	Part Qualification Tests shall be conducted in accordance with the applicable device specification. Data derived from the qualification tests shall be submitted to LM Space for review/approval. Part number

QA5

CERTIFICATE OF
CONFORMANCE
REQUIRED BY LM Space

QA10	CLASS 1 OR CLASS 2 CHANGES	The subcontractor or sub-tier supplier makes no changes to the design, specification, configuration, material, part, or manufacturing process which affects the form, fit, function, reliability, or maintainability of goods without prior contractual approval of the Lockheed Martin Subcontract Manager. These changes are considered Class I changes as defined by MIL-STD-973 and require Lockheed Martin written

QAQC08	QAQC08 SPECIAL PROCESS CERTIFICATION

QAQC14 or QAQC14A	QAQC14 CUSTOMER SOURCE INSPECTION (CSI)	Customer source inspection is required prior to shipment of articles from the Organization’s facility. Upon

QAQC16	AQC16 NDI/NDT CERTIFICATION	Organization will include with each shipment a certificate for the NDI/NDT performed. As a minimum, the certification shall contain the following information: · Customer's Purchase Order / Contract number · Name and address of the Company performing NDI/NDT; · Date of Inspection; · Quantity of parts tested by part number; · Specification or other requirement defining the NDI/NDT acceptance / rejection criteria; · Inspector/name/stamp and NDI/NDT certification level; · NDI/NDT specification including revision; · Material or item identification (part number, heat lot number, Foundry Record (FR) number; · Material or item traceability (serial number, lot number, batch number, lot/date code); · Inspection results (accept/reject); · Reference to previous NDI/NDT reports for repair/rework if applicable1 0 0 1 328.37 500.62 Tm0 g0 G[ )]

QAQC22	AQC22 SHIPPING DOCUMENTS	Organization shall furnish Commercial Shipping Documents/Packing List, capable of being photographically reproducible through two additional reproductions, showing the following: · P.O. Number · Part Number(s) · Description · Qty ordered · Qty shipped · Lot/Date Code/serialization (as applicable) · Any handling constraints or cautions such as, but not limited to: · Optics; open only in clean room environments. · ESD sensitive items, open only at approved ESD workstation. · Moisture sensitive components, open/store only in humidity controlled area. · Shock sensitive components (shock monitoring should be specified if required.

QAQC23	AQC23 NONCONFORMANCE REPORTING

Nonconformances shall be reported to the customer under the following conditions. When notification is required, notification shall be within 3 working days after the nonconformance is discovered.

· The problem is detected during one of the following:
  1. Certification, acceptance, or qualification testing
  2. Other “significant” test as specified by the customer

QAQC26	AQC26 ELECTRICAL WIRE AND CABLE TEST REPORT	Organization shall provide certification that each shipment of electrical wire or cable furnished under this contract conforms to the applicable specifications. For each lot or cable in each shipment, a certified test report or copy thereof shall be included with the packing sheet. The test report shall, at a minimum, include a record of the physical, chemical, or electrical (and in the case of RF cable, electronic) inspections and tests conducted to satisfy the acceptance requirements of applicable specifications, and shall include numerical results when applicable. For cable shipments, these requirements apply to both basic and finished cable. When the specification requires other inspection or test data to be reported, it shall be included in the test report. Reports shall provide the Organization or Supplier's name, the specification number and revision date or change letter, and other data required by the specification, and must be identified to or correlated with the lot shipped.
QAQC27	AQC27 EEE	

QAU	PA POST AUDIT APPROVAL	PA post audit approval required (LOCKHEED MARTIN INTERNAL USE ONLY)
QB1	RADIOGRAPHS	Radiographs shall be supplied with the material to Lockheed Martin.
QB2A	RAW CASTINGS AND FORGINGS	Two samples of all raw castings and forgings are required from new or reworked dies or molds and must be approved by Lockheed Martin prior to run of production parts. Unless Lockheed Martin source surveillance is a requirement of the Contract, the samples shall be forwarded to Lockheed Martin Receiving Inspection with the actual results of layout inspection, radiographs, and actual chemical and physical test results. When Lockheed Martin source surveillance is a requirement of the Contract, the layout and test data shall be evaluated at the Contractor's facility. In either case, first article approval by Lockheed Martin is required prior to the start of production. The Contractor is responsible for obtaining Lockheed Martin approval of any change in processes or tooling using the same approval instructions stated above.

QB4F	FAILURE ANALYSIS REPORT	The Contractor shall perform a failure analysis on item(s) returned under this Contract and shall provide to Lockheed Martin, as a minimum, the following information with the shipment or as directed by contract: 1) Date of report; 2) Contract number; 3) Contractor's name and address; 4) Part name, number, revision level, and serial/number; 5) MARS number (if specified by Contract); 6) Specific and contributory causes of failure; 7) List of parts required to repair item(s); 8) Corrective action taken to preclude recurrence and effectivity by date or serial number of corrective action; 9) Signature and title of Contractor's Quality Representative approving the failure analysis report.
QB5	MATERIAL AND PROCESS CONFORMANCE	The Contractor shall submit with each shipment, a Certificate of Conformance, shall be dated and bear the signature and title of an authorized Contractor's Representative, stating that the materials furnished to Lockheed Martin are in conformance with applicable requirements of the Contract, drawings and specifications and that supporting documentation is on file and will be made available to Lockheed Martin or Government Representatives upon request. Certification shall include name of Contractor for materials being supplied, quantity shipped, and Contract number. An example of an acceptable statement of certification of conformance is as follows: "This is to certify that all items noted are in conformance with the Contract, drawings, specification and other applicable documentation that all process certifications, chemical and physical test reports, are on file at this facility and are available for review by Lockheed Martin."
QB5A		

QB9	TEST SAMPLES	Concurrent with the shipment of production articles, Contractor shall furnish test sample(s) of each batch sufficient to conduct tests in accordance with specification or contract requirements. Each test sample must be clearly and permanently marked with: (1) batch or lot number; (2) date manufactured; (3) specification or material control information number; (4) Contractor's designation; (5) contract number.
QB11	CERTIFICATE OF COMPLIANCE FOR LEAD CONTENT	Electronic, electrical, electro-mechanical and/or mechanical piece parts, and assemblies (including internal hardware) shall NOT have tin plating or tin finishes with <3% lead (Pb) content by weight. This requirement also applies to component leads, terminals, carriers, bodies, cages brackets, housings, mechanical items and fasteners (nuts, bolts, screws, rivets, washers, etc.). The supplier’s Certificate of Conformance represents that the product, and each sub-tier supplier’s product(s) contained therein, meet this requirement. The Supplier shall insert the substance of this clause, including this sentence, in all lower-tier subcontracts for work performed under this contract.
QB13	CERAMIC CHIP DELAMINATION TEST	For ceramic chip capacitors (BX/X7R dielectric), 0.1 microfarad and larger or physically larger than 1206 size, perform delamination screening test using C Mode Scanning Acoustic Microscopy (CSAM) at 50 MHz, both sides, instead of the accepted practice of scanning at 30 MHz, one side.
QBRCD	BARCODE LABEL REQUIRED	Barcoded labels are required and must be completed through the Ship-To LMC module in LMP2P, accessible through Exostar at http://www.myexostar.com; Exostar Helpdesk: 703-793-7800.
QB14	SUPPLIER DATA SHEET	Supplier data sheet shall be provided with shipment.
QBRIN1	OPTIONAL GROUP C	Optional Group C testing is required. Generic Group C test data is OK if within one year of procured Lot Date Code.
QBRIN2	MAXWELL CLASS S QCI	Maxwell Class S QCI (MIL-PRF-38535, Class V) Group B, C, and D testing is required. Generic data is acceptable if within one year of procured Lot Date Code.

QC1

AGE CONTROL OF
RUBBER GOODS

QCF	GOVERNMENT SOURCE INSPECTION C OF C	Hardware listed in this Purchase Order (PO) has Mandatory Government Source Inspection requirements, Classification of Characteristics (CC's). Seller must contact local Defense Contract Management Agency

QD4	PRODUCT ASSURANCE D274855 APPLIES	LM Space/D274855, Rev. "I". "Statement of Work for the Supplier Repair Program of Government-Owned Equipment", applies.
QD4A	QUALITY SYSTEM REQUIREMENTS (ISO 9001)	The Manufacturer's Quality System shall conform to the requirements described in ISO 9001, Model for Quality Assurance in Design, Development, Production, Installation, and Servicing; and be approved in EXOSTAR at the time of production. Third party registration by an accredited registrar under the International Accreditation Forum may be accepted; if the Manufacturer changes registrars, loses its registration status, or is put on notice of losing its registration status, it shall notify LM Space. Quality System certification to AS9100 will be accepted as a substitute if approved in EXOSTAR. A Manufacturer declaring system compliance to ISO 9001 with no accredited registration must be subject to an onsite survey and approval. The Manufacturer's Quality System will be subject to review and approval at all times by Lockheed Martin.
QD4B	QUALITY SYSTEM (ISO 9001 With Exclusions)	The Manufacturer's Quality System shall conform to the requirements described in ISO 9001, Model for Quality Assurance in Design, Development, Production, Installation, and Servicing; with exclusions to Section 7; and be approved in EXOSTAR at the time of production. Third party registration by an accredited registrar under the International Accreditation Forum may be accepted; if the Manufacturer changes registrars, loses its registration status, or is put on notice of losing its registration status, it shall notify LM Space. Quality System certification to AS9100 will be accepted as a substitute if approved in EXOSTAR. A Manufacturer declaring system compliance to ISO 9001 with no accredited registration must be subject to an onsite survey and approval. The Manufacturer's Quality System will be subject to review and approval at all times by Lockheed Martin.
QD4C	QUALITY SYSTEM (SAE AS9100 w/exclusions)	The Manufacturer's Quality System shall conform to the requirements described in SAE AS9100, Model for Quality Assurance in Design/Development, Production, Installation, and Servicing; with exclusions to Section 7; and be approved in EXOSTAR at the time of production. Third party registration by an accredited registrar under the International Accreditation Forum may be accepted; if the Manufacturer changes registrars, loses its registration status, or is put on notice of losing its registration status, it shall notify LM Space. A Manufacturer declaring system compliance to AS9100 with no accredited registration must be subject to an onsite survey and approval. The Manufacturer's Quality System will be subject to review and approval at all times by Lockheed Martin.
QQD4K3	QUALITY PROGRAM REQUIREMENTS (ANSI/NCSL Z540.1)	The Contractor’s Calibration System shall conform to the requirements of the elements described in ANSI/NCSL Z540.1, either part 1 or part 2, and is subject to review and approval at all times by Lockheed Martin.. Third party registration by an accredited registrar will be accepted. Contractor declaring system compliance to ANSI/NCSL Z540.1 with no formal accredited registrar, will be reviewed. The Contractor’s system will be subject to review and approval at all times by Lockheed Martin. The Contractor’s signed certification must state (1) traceability to the National Institute of Standards and Traceability, (2) tool or gage number, and (3) Contract number.

QQD4K6	ISO 17025 – TEST FACILITY REQUIREMENTS	The Contractor's Laboratory shall conform to the requirements of the elements described in ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories. Third party registration by an accredited registrar will be accepted. A Contractor declaring compliance to ISO/IEC 17025 with no formal accredited registrar will be reviewed by Lockheed Martin. The Contractor's system will be subject to review and approval at all times by Lockheed Martin. The Contractor shall maintain test control systems that confirm Lockheed Martin hardware meets test requirements listed on the order. Lockheed Martin may inspect all deliverable items before, during or after test, before shipment

QEH	DIMENSIONAL INSPECTION CRITICAL CHARACTERISTICS	The contractor shall perform 100% inspection of critical characteristics identified in the Lockheed Martin engineering document. The contractor shall submit a certificate of compliance with each shipment attesting that all critical characteristics have been verified, to meet the requirements of the engineering document(s). The certification shall contain as a minimum a listing of the critical characteristics verified, the name of contractor, part number, purchase order number, serial number(s) (when applicable) and quantity of parts shipped. Certification must be validated by an authorized representative of the contractor's Quality Department, by either an Inspection Stamp or signature and a date in which the inspection occurred.
QFC	GROUP INSPECTION MOUNTS/COUPONS	All mounts used for Group A Inspections and any remaining part of the coupon that has not been micro sectioned must be included in the shipment and will be stored at LM Space. Mounts/coupons must be bagged separately from the PWB, but may be attached to the PWB bag. Mounts/coupons are subject to verification by LM Space Materials & Process Lab prior to final hardware acceptance.
QH5	PRODUCT ASSURANCE P515987 APPLIES	P515987, THAAD Supplier Foreign Object Elimination Program, applies.
QLJ	COMPLIANCE WITH ACCEPTANCE TEST REQUIREMENTS	Items shipped against this order shall be accompanied by evidence of Seller's compliance with acceptance test requirements specified in design data or this order. Such evidence shall include a copy of acceptance test data with required actual variable data from acceptance tests performed by Seller to Buyer's Specifications or other requirements of this order. b. Test data shall (i) be verified by Seller's Product Assurance Q4(b)(9)1.77.67 as evidenced by a signature or stamp that identifies(i)5(c) nE4(m19(i)P0(s(i)M(C)H3(15>>26

QLMPC	LM SUPPLIED PAINT COUPON REQUIREMENTS	All coupons provided to the painting vendor/supplier as part of this purchase order are to be processed as defined under the applicable process specification(s). Upon process completion the vendor shall be responsible for completion and acceptance of required testing and return of tested coupons.
QLZ	FAILURE/DISCREPANCY THRESHOLD	If this Purchase Order is for any of the art types listed below, Seller shall inform Buyer of test failures/discrepancies on end item acceptance test that exceed the percentage listed below: Capacitors ---> Failure/Discrepancy Threshold = 20%,Crystal Oscillators ---> Failure/Discrepancy Threshold = 20%,Diodes and Transistors --->Failure/Discrepancy Threshold = 20%,Fuses ---> Failure/Discrepancy Threshold = 15%, Microcircuits, Hybrids ---> Failure/Discrepancy Threshold=20%,Microcircuits, Monolithic ---> Failure/Discrepancy Threshold = 30%,Printed Circuit Boards/Flex Cables --> Failure/Discrepancy Threshold = 20%,Relays ---> Failure/Discrepancy Threshold = 1 5%,Resistors ---> Failure/Discrepancy Threshold =15%,Thermistors --> Failure/Discrepancy Threshold = 15%. In the event any drawing, specification, or other document incorporated in this Purchase Order contains a conflicting requirement, the drawing, specification, or other document shall take precedence over this clause. Notification shall be submitted to Buyer via Vendor (Supplier) Request for Information or Change (VRIC), which may be obtained from Buyer.
QM7	CONFORMANCE REQUIREMENTS - MECHANICAL DETAILS	The instrument(s) used for final acceptance must be calibrated to and capable of measuring one-fifth of the tolerance (5:1 accuracy ratio) to be checked. And a certification of this capability must be submitted with each shipment. Supplier's Quality Department shall one-hundred percent (100%) inspect all parts to assure total conformance to all drawing characteristics and requirements. The actual measured results from one (1) part of each lot must be documented and submitted with each shipment. In addition, the actual

QM12	MATERIAL TRACEABILITY FOR BUILD TO PRINT PURCHASES	The contractor shall provide and maintain material traceability for the items in the purchase agreement. Parts shall be identified with a unique lot number for each lot (manufacturer/heat/ lot/batch number) of raw material used in their fabrication. If hardware assembly is applicable to this purchase agreement, traceability shall be maintained through delivery and fabrication records shall summarize the identification of all elements within each assembly.
QM13	MATERIAL TRACEABILITY FOR PD/ST PURCHASES	The supplier shall establish a system for the identification, traceability and control of materials, parts and assemblies from acquisition through fabrication, assembly, test and delivery. The system shall provide for the ready identification of suspect lots when individual items are found discrepant. IDENTIFICATION

QN2	DRAWING AUTHENTICATION REQUIRED	Items to be delivered under this order shall not be shipped from supplier/subcontractor facilities unless drawings are available which have been signed (authenticated) by an authorized representative of the Special Projects Office Department of the Navy.
QNOWGC	ELECTRONIC DATA SUBMITTALS PROHIBITED	Work Group Collaboration – shall not be used for this purchase order item. All quality records shall be supplied along with hardware.
QPC	UNRELEASED DOCUMENTATION CONTROL	When procurement is to LM Space unreleased documentation, supplier shall impound hardware upon completion of the build pending receipt of LM Space released documentation via a Procurement change notice. Once documentation is official released, supplier may ship hardware.
QPS	ENGINEERING PURCHASE SPECIFICATION (EPS) APPLY	

QPWBLM	PWB CONFORMANCE COUPON INSPECTION - LM Space	Inspection of conformance coupons shall be completed prior to LM Final Source inspection and prior to shipment of flight units. Coupon inspection test report for the lot shall be reviewed by PWB manufacturer for acceptance and included in the data package presented during LM Final Source inspection at the manufacturer facility. Coupon inspection shall be performed by LM Space. Include on paper work with shipment: PO Number Part number D/C S/N Paperwork must state "Preliminary PWB test coupons enclosed, not flight parts, do not post PO".
QQB	DIMENSIONAL INSPECTION REPORT	Inspection, Dimensional. Perform a 100% dimensional inspection on one part, randomly chosen, or, if more than one machining process line is used, one part chosen from each line to confirm that each line produces acceptable hardware. Record actual dimensional data for each selected part and ship one copy of the data with the hardware.
QQBR	REDUCED DIMENSIONAL INSPECTION REPORT	Perform 100% inspection of reduced/annotated dimensions identified in the engineering document on one part. All dimensions shall be listed individually. Record and submit actual dimensional data for the annotated dimensions. The inspection report shall contain at a minimum a listing of the characteristics verified, the name of contractor, part number, serial number(s) (when applicable) and quantity of parts inspected. The report must be validated by an authorized representative of the contractor's Quality Department, by either an Inspection Stamp org0 Gt4Iro0 g0l2(ualiac

time of processing. AS9100 and ISO 9001 are an acceptable substitute for AS9003. These approvals must be current in P2P/EXOSTAR.

2. Lockheed Martin approval of the Contractor's system to control its own special processors (P2P Approval Code: SQES00TQ99 or SQDANQ4M00).
a. This approval is contingent upon the Contractor's procedural requirement for an on-site survey to an adequate process specific questionnaire and
b. A vendor rating system that identifies unacceptable sub-tier performance with criteria for corrective action and criteria and frequency for re-survey and
c. A list of special processor approval(s) that contains approval and expiration dates.

Approvals must be current in P2P/EXOSTAR.

Lockheed Martin approval of sub-tier contractor special processing does not relieve the Contractor of the responsibility to ensure that work performed by sub

QT4B	QUALITY SYSTEM REQUIREMENTS (SAE AS9003)	The Manufacturer's Quality System shall conform to the requirements described in SAE AS9003, Inspection and Test Quality System; and be approved in EXOSTAR at the time of production. Third party registration by an accredited registrar under the International Accreditation Forum may be accepted; if the Manufacturer changes registrars, loses its registration status, or is put on notice of losing its registration status, it shall notify LM Space. Quality System certification to AS9100 or ISO 9001 will be accepted as a substitute if approved in EXOSTAR. A Manufacturer declaring system compliance to AS9003 with no accredited registration must be subject to an onsite survey and approval. The Manufacturer's Quality System will be subject to review and approval at all times by Lockheed Martin.
QT4D	QUALITY SYSTEM (SAE AS9003 w/exclusions)	The Contractor's Quality System shall comply, at a minimum, with the following paragraphs of SAE AS9003, Inspection and Test Quality System, in their entirety: Para's. 4.1, 4.3, 4.6.4, 4.6.6, 4.9,4.10.1

QTM5	REJECTED MATERIAL RESUBMISSION	Any items under this order which are rejected by Buyer and returned to Seller for repair or replacement will be returned to Seller on a shopper or consignment order which indicates, “Supplier Responsibility”, “Buyer Responsibility”, or “Responsibility Unknown”. Such items shall either be replaced or reworked to specification and resubmitted to Buyer. When an LM Space Discrepancy Report (DR) or Nonconformance Report (NCR) IS FORWARDED TO Seller with rejected items, the DR or NCR number shall be entered on Seller’s shipping document. Seller’s shipping documentation shall include : (i) a statement detailing the corrective action taken to prevent recurrence of the cause of rejection or recommended action to avoid further rejection if cause of rejection is beyond Seller’s control; and (ii) a

QVP

QYH

QQZ9	SMP010710U05	SMP010710U05, Supplier Technical Program Management (STPM) for Support Equipment Suppliers - Updated
QZ10	SMP010712U05	SMP010712U05, Product Assurance Quality Requirements for Support Equipment Suppliers.
QQZ11	SMP010740U04	SMP010740U04, Supplier Technical Program Management (Quality and Inspection System Requirements) for Suppliers of Missile System Hardware, SMP010740U04.
QZ12	SMP010741U05	SMP010741U05, Product Assurance Quality Requirements for FBM Hardware - Updated
QZ13	SMP010743U05	SMP010743U05, Product Assurance

QZ23 F120009

Document 253-01 05/31/2018

QZ63

QZ84	F120221	F120221, STPM requirements for Reentry Body Inertial Measurement Unit (RIMU)

QZ104	F120420	F120420, Product Assurance Quality Requirements for Printed Wiring Board Master Drawing - MDP Module MK11 MOD 0
QZ105	F120441	F120441, Storage and Surveillance Plan (0297EL) for Over-Voltage Gap Switch Supplier Location: LM Space
QZ106	F120454	F120454, Letter of Agreement Between LMMS & SPL 214 Pertaining to Procurement Requirements for Gulton-Statham Transducers Inc.
QZ107	F120464	F120464, Surveillance Inspection Procedure (SIP) for Reentry Body Hardware stored at LM Space - Santa Cruz
QZ108	F120540	F120540, Addendum (Exceptions) to LMSC D915700D Pertaining to Supplier Technical Program Management Requirements

QZ126	A268008	A268008, PAWS 62 - Product Assurance Documentation
QZ127	A268012	A268012, PAWS 64 - Product Assurance Documentation - Production
QZ128	A268016	A268016, PAWS 61 - Supplier Dispostion of Nonconforming Material
QZ131	A268035	A268035, PAWS 67 - Tool Control
QZ132	A268043	A268043, PAWS 77 - Protective Dust Covers
QZ134	A268046	A268046, PAWS 80 - Development Material Review Authority - Support Equipment Suppliers
QZ136	A268055	A268055, PAWS 89 - Serialization of Lockheed Procured Hardware
QZ137	A268057	A268057, PAWS 92 - Reporting Discrepant Conditions of Material Furnished by Lockheed/Government or Procured from Lockheed Directed Source(s). (Includes Assemblies, Components, Parts, Raw Material)
QZ138	A268061	A268061, PAWS 18 - Proofing Data - Ordnance Devices
QZ139	A268101	A268101, PAWS 2 - Reliability Program Plan (RPP)
QZ140	A268104	A268104, PAWS 5 - Reliability Prediction Analysis Report Electrical (RPARE)
QZ141	A268108	A268108, PAWS 9 - Government Industry Data Exchange Program (GIDEP)
QZ142	A268110	A268110, PAWS 12 - Failure Verification, Diagnosis, and Corrective Action (Hardware Returned to Supplier)
QZ143	A268111	A268111, PAWS 13 - Phase I Proofing of Supplier Test Stations Used for Acceptance of Hardware
QZ144	A268112	A268112, PAWS 14 - Phase I and Phase II Proofing of Supplier Test Stations Used for Acceptance of Hardware
QZ145	A268113	A268113, PAWS 16 - Test Station Service Equipment Logs
QZ146	A268114	A268114, PAWS 19 - Supplier Special Tooling Requirements
QZ147	A268115	A268115, PAWS 20 - Traceability of Raw Materials in Serialized Hardware Items
QZ148	A268117	

QZ194	D598137	D598137, LOA - LMSC and Atlantic Research Corp - Procurement Rqmts PBCS Gas Gen PN 3065496
QZ196	D598152	D598152, Addendum 1 to D274812B - Record Retention & LMSC Disposition of Supplq229.82 509.38 477.

QZ219	D824158-18	D824158-18, DRD - FTS Transformers & Inductors
QZ220	D824158-19	D824158-19, DRD - Relays
QZ221	D824158-20	D824158-20, DRD - Resistor Network
QZ222	D824158-21	D824158-21, DRD - Resistors
QZ223	D824158-22	D824158-22, DRD - VSLI Command Sequencer
QZ224	D824158-24	D824158-24, DRD - Transformers & Inductors
QZ225	D824158-25	D824158-25, DRD - FTS Thermistors
QZ226	D824158-27	D824158-27, DRD - Capacitors
QZ227	D824158-29	D824158-29, DRD - RF Termination Unit (EMC)
QZ228	D824158-30	D824158-30, DRD - Hybrid, Optically Coupled Isolator
QZ229	D824158-32	D824158-32, DRD - Special Package Power Transistor & Diode
QZ230	D824158-33	D824158-33, DRD - Memory & Linear Microcircuits

QZ244	D915702	D915702, PA Quality Requirements for Major Commodities
QZ246	D915703C	D915703C, PA Quality Requirements for Trident II (D5) Connectors
QZ248	D915703-1C	D915703-1C, PA Quality Requirements for G & H PMM Connectors
QZ249	D915704	D915704, PA Quality Rqmts for Nose Cap & Nose Fairing Manufacture
QZ250	D915705	D915705, PA Quality Requirements for Trident II Batteries
QZ251	D915706C	D915706C, PA Quality Rqmts for Printed Circuit Boards, Multilayer Boards, Rigid Flex Master Interconnect Board & Flex Cables
QZ252	D915709P	D915709P, PAQR - Black Box Subcontractor Piece Part Rqmts
QZ253	D915710A	LM Space D915710, Supplier Technical Program Management (STPM) Document for Missile System Division Support Equipment (including Addendum 1 and Addendum 2) applies.
QZ256	D915711	D915711, Addendum 2 - to Supplier Tech Program Management LMSC/915710A
QZ257	D915720	LM Space D915720, Supplier Technical Program Management (STPM) Document for Test Missile Telemetry & Tracking System (including Addendum 1 and Addendum 2) applies.
QZ260	D915721	D915721, PA Quality Requirements for PCM Telemetry Systems
QZ261	D915722	D915722, PA Quality Requirements for Instrumentation Electronic Packages
QZ262	D915723	D915723, PA Quality Rqmts for Transducers and Instruments
QZ263	D915740	LM Space D915740, Supplier Technical Program Management (STPM) Document for Suppliers of Missile System Division (MSD) Hardware (including Addendum 1) applies.
QZ265	D915741B	D915741B, PA Quality Rqmts for MSD Hardware
QZ266	D915742	D915742, PA Quality Rqmts for Trident II (D5) Ordnance Hardware
QZ267	D915743	D915743, PA Quality Rqmts for PBCS Coupling and Seal
QZ268	D915744	D915744, PA Quality Rqmts for Northrop EMD D5 SACE
QZ269	D915746A	D915746A, PA Quality Rqmts for Casting & Forgings

QZ317	SMP010708U07	SMP010708U07 – Letter of Agreement pertaining to Supplier Technical Program Management requirements (STPM) D915720, between Lockheed Martin Space Systems Company (LM Space) AND Paine Electronics LLC (Paine).

REVISION 5/31/2018
ADDED QSP SPECIAL PROCESS APPROVAL AND CERTIFICATION
REPLACED “LMSSC” WITH “LM Space” to better align document with corporate documents.

REVISION 1/10/2018
ADDED QPWB3 PWB CONFORMANCE COUPON INSPECTION - THIRD PARTY
ADDED QPWBLM PWB CONFORMANCE COUPON INSPECTION - LM Space

REVISION 9/29/2017
EDITED QT4B, QD4A, QD4B, QD4C, QAQC02 Updated text to standardize verbiage and clarify substitution QMS certification

REVISION 6/5/2017
ADDED QBRCD BARCODED LABEL REQUIRED
EDITED QS8 Updated text to include supplier submittal requirements

REVISION 9/26/2016
ADDED QDTS DOCK TO STOCK PROCESS
ADDED QB14 SUPPLIER DATA SHEET SUBMITTAL
ADDED QQBR REDUCED DIMENSIONAL INSPECTION REPORT
EDITED QAQC08 Updated text of where contractually required specifications are identified
EDITED QCF Updated text to include physical and electronic signature
DEACTIVATED QTU DPA REQUIREMENT FOR D5 TRIDENT II
EDITED QD27 Updated text to remove reference to DEN 412610

REVISION 11/17/2015
EDITED QAQC13 Updated text to align with the language required by the Acquisition Compliance matrix
DEACTIVATED CODES: Q19B, Q37, Q57, QA2C, QA4H, QAQC05, QAQC07, QAQC10, QAQC12, QAQC18, QAQC19, QAQC30, QAQC31, QB12, QCC, QD13, QD15, QD16, QD5, QD8, QGL, QLT, QP3, QQD4K7, QQMY, QQS5, QQS5C, QQT8, QQTC5, QS11, QS5B, QS7, QT4C, QT4F, QTB9, QTC1, QTC3, QTR

REVISION 4/14/2015
ADDED QQD3 Duplicate text for QD3 to correct P2P setup error

REVISION 9/29/2014
EDITED QB11 Additional clarification – Now allows a C of C to demonstrate adherence to requirement

REVISION 7/21/2014
EDITED QD4A, QD4B Removed Rev. date reference

REVISION 7/21/2014
ADDED QQAQC09, QQD4K3, QQD4K6 Duplicate text to correct P2P setup error

REVISION 6/18/2014
EDITED QA7 Added clarification for Q4M

REVISION 6/05/2013
ADDED QQMY Duplicate text for QMY to correct P2P setup error

REVISION 5/15/2014
EDITED QT4B/QAQC02/QD4A/QD4B/QD4C Replaced “contractor” or “organization” with “manufacturer”
EDITED QA7 Replaced approved QMS with approved to AS9003 as a minimum.

REVISION 4/15/2014
ADDED QQS5A FOD Q-Code Consolidation

REVISION 4/14/2014
EDITED QD13 Added clarification for objective evidence

REVISION 4/7/2014
ADDED QQD4K7 Duplicate text for QD4K7 to correct P2P setup error

REVISION 3/26/2014
ADDED QQZ3 Duplicate text for QD4K7 to correct P2P setup error

REVISION 02/11/2014
REMOVED QTC4 Deactivated - removed

REVISION 12/12/2013
EDITED QTC6 Counterfeit Q-Code now applies to all materials for customer deliverables
REMOVED QTC7 Deactivated - removed

REVISION 10/25/2013
EDITED QQWGC Added referral to EDSS – Electronic Data Supplier Submittal

REVISION 10/9/2013
REMOVED COMMERCIAL Q-Codes as they are no longer in use by Space Systems.

REVISION 8/26/2013
EDITED QZ99 Replaced the word “Transformer” with “Transducers” for FBM

REVISION 7/21/2013
ADDED QQZ6 Duplicate text for QZ6 to correct P2P setup error

REVISION 6/5/2013
EDITED QZ152 Additional clarification regarding A268126 requirements for FBM

REVISION 5/21/2013
EDITED QPMT Removed CoC submittal to a source inspector

REVISION 4/18/2013
EDITED QV15 FAI PRODUCTION LAPSE CLARIFICATION

REVISION 03/19/2013
ADDED QV15 THAAD FIRST ARTICLE INSPECTION – (QAQC15 with additional text regarding notification)
ADDED QD4K7 QUALITY PROGRAM REQUIREMENTS (ANSI/NCSL Z540.3)

REVISION 03/08/2013
ADDED DUPLICATE CODES TO ACCOMMODATE REQUIRED CHANGES FOR P2P USE
QQ32A – replacement for Q32A
QTC2A – PRECAP INSPECTION – for use with non-material procurement activity (similar to QAQC14A)

REVISION 02/20/2013
QD4K3 EDIT – Part 1/Part 2 Elaboration and change from a “-“ to a “.” to accurately reflect standard.

REVISION 02/07/2013
QPMT EDIT - QUALITY REQUIREMENTS - LM8617893 for PROHIB. MTLS

REVISION 01/31/2013
ADDED Q2Z – FBM SUPPLIER NON-CONFORMANCE REQUIREMENT INSTRUCTIONS: (FBM VRIC PROCESS)

REVISION 11/7/2012;

REVISION 11/8/0211

Document 253-01 05/31/2018

ADDED QPMT - LM861793 Test Report AEHF Specific

REVISION 1/28/2011; QZ152 Title Change

REVISION 1/24/2011; QLM: Edit correction from “there version” to “the revision” which matches SAP Z001 code verbiage.

REVISION 11/16/2010
ADDED QTC7 –

ADDED QA9 – LM Space PQA Notification of Supplier Changes
ADDED QSQAP – QPS3 Quality Assurance Plan; GPS3 Program Specific
ADDED QA10 – CLASS 1 or CLASS 2 Changes; GPS3 Program Specific

REVISION 9/14/2009 – Multiple Changes
ADDED QZ320 – SMP010762U08 – FBM Program Specific
ADDED QZ321 – SMP010711U09 – FBM Program Specific
ADDED QVT6 code to reflect regulatory requirements for 6 year record retention
DELETED – QD23, Q28A, and Q28B; Supporting document M64-119 has been cancelled

REVISION 8/24/2009 – TYPO Correction only; QA287 – deleted the double revision of "D990249BA" to "D990249B"
REVISION 6/30/2009 – Edit of Q32 to address the marking of qualification hardware.
REVISION 6/9/2009 – Addition of QNOWGC and QSTEU; Prohibited Data Submittals and STEU Packaging

REVISION 6/3/2009 – Multiple changes
ADDED Q6Z7 – Modification of Q6Z from a 4 to 7 year requirement in support of SBIRS contractual requirements.
DELETED QD12 – Old SCID code used for the TITAN program; Have been directed by customer to not apply code.
EDITED QTC6 – (Counterfeit components) Deleted the word material from the code to further address scope of intended application.
DELETED QASL series codes; QASL codes were transitioned to IASL codes back in 2007 and also only applied for internal use.

REVISION 4/22/2009 – QTP modification at FBM's request

REVISION 4/20/2009
ADDED QDPA – DPA Identifier Code

REVISION 4/07/2009 – QN5 Correction to remove previous revision letters. (SAP is currently correct)
REVISION 3/17/2009 – Alignment of Quality Clause "QTP" with SAP text.
REVISION 3/9/2009 – Title correction for QZ152

REVISION 2/13/2009
MODIFIED QB4 – REMOVED "FUNCTIONAL" FROM CODE TEXT
ADDED QZ319 – PRODUCT ASSURANCE QUALITY RQMTS FOR CALIBRATION/VERIFICATION MANAGEMENT OF TEST EQUIPMENT –

REVISION 9/24/2008
ADDED QTC6 – COUNTERFEIT PART AVOIDANCE

REVISION 7/28/2008
ADDED QZ318 – SMP010713U08 – FBM program specific
ADDED QA5 – CERTIFICATION OF CONFORMANCE REQUIRED BY LM Space

REVISION 2/21/2008
Updated Q0W – changed the word record to mark/identify – per Central Procurement request
ADDED QT12 – SELLER RETAIN TEST DOCUMENTATION TWELVE YEARS – per Special Programs request

REVISION 1/31/2008
ADDED QZ317 – SMP010708U07 – FBM program specific

REVISION 10/31/2007
Added QTD2 – per FBM request

REVISION 08/20/2007
Update QTP – remove reference to Addendum 1 and 2 – per FBM request

REVISION 6/28/2007
Updated QCF (returned to original wording) per FBM/Team

REVISION 6/14/2007
Update QCF – per FBM request

REVISION 6/11/2007
Update QZ92 – per FBM request

REVISION 3/28/2007
Updated/corrected QZ237 – per FBM request
Updated QTC2 - (precap) – per R.Ormond (PQAR issue)
Updated QZ286 – updated to reflect Rev C – per FBM request
Updated/corrected QZ109 – corrected document number – per FBM request

REVISION 6/11/2007 continued
Added QTM5 – Rejected Material Resubmission – per FBM request
Added QZ316 – SMP010783U05A – FBM program specific
Added QTM6 – Mfg'd Articles Raw Material Test Reports – per FBM request

REVISION 01/31/2007
Added QZ312, QZ313, QZ314, and QZ315 – per FBM request
Added Q7Z – Lot Date Code 10 years

REVISION 11/21/2006
Updated QYX – remove "onsite validation required" – FBM request
Updated QYW – remove "onsite validation required", add "Third party registration by an accredited registrar will be accepted.
Contractor declaring system compliance to AS9003 with no formal accredited registrar will be reviewed." – FBM request
Updated Q1 0 >s-3(d4(<0003>8<00030003>-3<0003>]TJETQq0.000011802 0 792 612 reW* n9 509.5 Tm01 0 0 1 126.86 399.07 Tm0 g0 G[>

Added QZ310 – SMP010789U06 FBM program specific
Added QZ311 – SMP010790U06 FBM program specific

REVISION 10/17/2006
Added Q1 0 >s-39s-396( )]TJETQq0.000011802 0 792 612 reW* nBT/F5 12 Tf1 0 0 1 114.14 233.45 Tm0 g0 G[<00B1>]TJETQq0.000011802 0

Updated QT8 – updated to reflect Parts, Materials & Processes
Added QTC5 – Authorized Dealer Dist – OEM – requested by Special Programs Sunnyvale, CA
Updated QASLA

Updated QZ241 – updated to reflect D915701 instead of D915700