Lockheed Martin Space Quality Clauses

Lockheed Martin (LM) hereinafter shall mean Lockheed Martin Space. Notwithstanding any other provisions, all articles furnished here-

Quality Clauses

Q-Code	QID	Title	Long-Text
QUALITY MANAGEMENT SYSTEMS			
QAQC02	1	QMS—QAQC02 QUALITY SYSTEM DESIGN	The Manufacturer's Quality System shall conform to the requirements described in SAE AS9100, Model foI--5.90 (ha

QM8	Q	PRINTED WIRING BOARD FABRICATION

Contractor is responsible for contacting the Buyer's Procurement Representative to request a LM survey 90 days prior to a Lockheed Martin (LM) survey expiration date at the seller's facility or their sub-tier's facility.

Lockheed Martin approval of sub-tier special processing does not relieve the Contractor of the responsibility to ensure that work performed by sub-tier contractors is in accordance with specification requirements and PO codes.

Initial PO requirements review should happen when PO is received from LM or first tier supplier. Possible gates/error proofing can be placed on your traveler, shop work order or router to verify current QMS and Special Process approval are in Exostar prior to special process being performed through completion, with a buy-off step annotated.

Note: There is an LM-controlled hierarchy table running in the background. When the contractor searches fora specific 10-digit approval code, the output will show all suppliers approved to that approval code and all suppliers approved to an acceptable hierarchy approval code. You must also verify supplier's QMS approval.

To look up supplier approvals:

Under the header "Receiving and Supplier Quality , Current Approvals" section, is a step-by-step instruction on how to look up supplier approvals. Exostar link: https://www.myexostar.com/?ht_kb=lmp2p-training-resources

The Contractor shall utilize the "Ship To" module in LMP2P to fill out the Special Processor ID field under the "Ship-To Barcode" generation tab prior to shipping material.

QB4F			disposition of nonconforming product and the process for approving personnel making these decisions." Data Requirements: Any nonconformance discovered by the organization, on products in their control, shall be documented by the organizations' approved method of nonconformance reporting. This shall include a detailed description of the nonconformance; location (by drawing reference point, hardware reference point, clock location, etc.); and exact callout of the violation by drawing or specification requirement (including, sub-paragraph or illustration number). It shall also list what type of inspection revealed the discrepant condition, and what, if any, subsequent actions were taken prior to disclosure. Dimensional violations shall include "should be" and "is" dimensions, and tool(s) calibration traceability numbers. Nonconformance Preliminary Review: The preliminary review process shall be initiated with the identification and documentation of a nonconformance. A preliminary review shall be the initial step performed by the organization to determine if the nonconformance needs to be reported to the customer (see below), and to determine if the nonconformance is minor and can be re-worked to a condition that completely conforms to the drawing or specification requirements. Note: preliminary review does not negate the requirement to identify, segregate, document, report and disposition nonconformances. Nonconformances shall be reported to the customer under the following conditions. When notification is required, notification shall be within 3 working days after the nonconformance is discovered. · The problem is detected during one of the following: 1. Certification, acceptance, or qualification testing 2. Other "significant" test as specified by the customer 3. Turnaround, maintenance, overhaul, and repair of flight, ground test operation or shipping and receipt of hardware delivered to the customer including any test involving hardware previously accepted by the customer and returned for repair, modification, etc. · And it is: 1. Flight hardware 2. Flight Hardware Spares 3. Equipment that is representative of flight hardware (flight-like hardware), including prototype and qualification hardware 4. Ground Support Equipment (GSE) that is safety critical

QD1			3) Contractor's name and address; 4) Part name, number, revision level, and serial/number; 5) MARS number (if specified by Contract); 6) Specific and contributory causes of failure; 7) List of parts required to repair item(s); 8) Corrective action taken to preclude recurrence and effectivity by date or serial number of corrective action; 9) Signature and title of Contractor's Quality Representative approving the failure analysis report.

		CUSTOMER FINDINGS	1. change in its quality system status; or 2. loss of certification status; or 3. change in Seller's quality organization, processes or procedures that are known to affect or could potentially affect conformity of any Item; or 4. adverse action taken by a US Government entity (e.g. FAA, CAA, OSHA, DoD, EPA, etc.), third party registrar, International Government Agencies, or Nadcap to include, but is not limited to, any of the following: i. Issuance of any major Level II or Level III Corrective Action Request associated with Buyer Items, Quality Management System or processes associated with Buyer Items ii. Issuance of a major finding by a third-party registrar iii. Suspension of Government Source Inspection
		TESTING / TEST SAMPLES	
Q32	Q	PART QUALIFICATION TESTS	Part Qualification Tests shall be conducted in accordance with the applicable device specification. Data derived from the qualification tests shall be submitted to LM for review/approval. Part number marking on the Q0 Tr (50 (p)-10.15( )-10.10 (q)1.70 (u)1.80 (a)-10.20 (l)5.10 (i)-7.90 (f)1-4.70 (tte)3.10 (d)-10.20 ( )1.80 (t)-11 (o

			(2) MIL-STD-883, Method 2020, Test Condition "A" or "B", for hybrids, (3) Mil-STD-750, Method 2052,Condition "A", for transistors, (4) Mil-PRF-19500 for diodes, and (5) Mil-PRF-39016, Rev. E, Appendix "B", and the Manufacturer's Approved Procedure, for relays. The manufacturer or a Lockheed Martin-approved test lab shall perform PIND testing to the above requirements. PIND test data shall be delivered with the parts listed in this order.
DATA / TEST REPORTS			
Q1B	Q	DATA REQUIRED WITH EACH SHIPMENT	

			report. Reports shall provide the Organization or Supplier's name, the specification number and revision date or change letter, and other data required by the specification, and must be identified to or correlated with the lot shipped.
QB1	Q	RADIOGRAPHS	Radiographs shall be supplied with the material to Lockheed Martin.
QB14	Q	SUPPLIER DATA SHEET	Supplier data sheet shall be provided with shipment.
QB2B	Q	SUPPLEMENTAL DATA REQUIREMENTS (CASTINGS/FORGINGS)	In addition to chemical/physical test reports stating the actual chemical and mechanical properties for each lot submitted, inspection/test data listed below shall be submitted for each lot of castings or forgings as required by specification or Contract. Certification for Magnetic Particle, Fluorescent Penetrant Inspection, Ultrasonic Inspection, Pressure Test, and Grain Flow shall be submitted with the order. Radiographic Inspection results including film for each casting shall be supplied. These reports shall be validated by an authorized representative of the Contractor's Quality Department, by either an inspection stamp or signature.
QB4	Q	TEST REPORTS - SUBMITTAL	Actual test reports referencing Contract number, Contractor's name and address and/or independent laboratories' name and address, part number, part name, serial number if applicable, date and run time if applicable, must accompany each shipment to be delivered. The test report shall contain the actual test and/or inspection values obtained when the specification/drawing specifies limits for chemical, mechanical, electrical, physical, or other properties. Additionally, these reports shall be validated by an authorized Contractor's Representative through the application of an inspection stamp, a signature and title or electronic approval method. In addition to actual test reports, the suppliers certification statement signifies the material being delivered conforms to the specification or contract with regards to all qualitative attributes such as, but not limited to, workmanship, material, appearance, color, quality, visual, method of construction, packaging, preparation

QTM6	Q	MFG'D ARTICLES RAW MAT'L TEST REPORTS	Supplier (or manufacturer) shall maintain on file, and Supplier shall assure availability for Buyer's review upon request, results of chemical and/or physical tests required to satisfy specification requirements for raw materials used in the manufacture of items delivered under this order. Unless otherwise specified, files of such test results shall be retained for a minimum of three (3) years after completion of Supplier's performance under this order.
DIMENSIONAL INSPECTION			
Q56	Q	DIMENSIONAL INSPECTION 100%	Supplier shall perform 100% detailed/dimensional inspection, record the actual dimensional data for all drawing characteristics, and compliance with drawing notes for all parts. The recorded data, related material, and process certs (as applicable) shall be delivered with the parts for each lot shipped.
QAQC17	Q	AQC17 100% ATTRIBUTE CLAUSE	"The organization shall submit (1) reproducible copy of all inspection documentation stamped or signed by the responsible quality inspector showing 100% inspection for all attributes noted on the drawings, for all parts submitted under this Contract/Purchase Order."
QD36	Q	CRITICAL CHARACTERISTIC INSPECTION REQUIREMENTS	The contractor shall perform 100% inspection of critical characteristics identified in the Lockheed Martin

QAQC03	Q

The supplier shall use EXOSTAR to arrange source inspection. The supplier may view a source inspection request process document using the following link:

https://www.myexostar.com/?ht_kb=lmp2p-training-resources

In the event that a Procurement Quality Assurance Representative does not normally service the Organization's facility, immediately notify the Customer Procurement representative to obtain a point of contact for the appropriate Procurement Quality Assurance Representative (PQAR) assignment.

Coupon inspection shall be performed by LM.

Include on paper work with shipment:
PO Number
Part number
D/C
S/N
Paperwork must state "Preliminary PWB test coupons enclosed, not flight parts, do not post PO”.

QM13	Q

MATERIAL
TRACEABILITY FOR
PD/ST PURCHASES

QVT6	Q	SUPPLIER RETAIN TEST DOCUMENTATION SIX YEARS	Supplier shall retain test reports/inspection records/evidence of acceptance for a minimum of six (6) years from the date of delivery.
PROGRAM SPECIFIC			
GPS3			
QSQAP	Q	GPS3 QUALITY ASSURANCE PLAN	

			processes which will be utilized on production runs. Additionally, the Organization shall perform additional First Article Inspection(s) per the requirements of AS9102 (i.e.: following every major tooling, every design change, and subsequent to any evident quality degradation for a specified part or article). Records of all first article activity will be documented as required in AS9102, treated as quality / acceptance records, and made available to Customer if requested. Organization shall notify the Authorized Requester ten (10) working days prior to performing FAI. Organization shall perform a full FAI when there is a lapse in production for One (1) year.
FBM			
QZ322	1	SMP010720U11	SMP010720U11 – Letter of Agreement Between Lockheed Martin Space and Universal Propulsion Company, Inc. Pertaining to Procurement Requirements for Ordnance Procurements
QQZ1	1	SMP010760U05	SMP010760U05, Supplier Tech Program Management Requirements for Electrical, Electronic, and Electro-mechanical (EEE) devices.
QQZ11	1	SMP010740U04	SMP010740U04, Supplier Technical Program Management (Quality and Inspection System Requirements) for Suppliers of Missile System Hardware, SMP010740U04.
QQZ111	1	F120689	F120689, Supplier Technical Program Management (STPM) Requirements for High Control LCTMK Products.
QQZ181	1	D274866	D274866, Inspection System Rqmts for MSD Suppliers; See Addendum 1, Doc. No. D598154
QQZ19	1	SMP09478U04	SMP09478U04, SUPPLIER TECHNICAL PROGRAM MANAGEMENT REQUIREMENTS FOR HIGH CONTROL LCTMK COTS PRODUCTS
QQZ20	1	SMP09479U04	SMP09479U04, SUPPLIER TECHNICAL PROGRAM MANAGEMENT REQUIREMENTS FOR LCTMK COMMERCIAL FLIGHTPROOF TESTED PRODUCTS
QQZ22	1	SMP010750U05	SMP010750U05, Supplier Tech Program Management Requirements for Missile Test & Readiness Equip. (MTRE)
[redacted]	1	SMP012701U05	SMP012701U05, Supplier Technical Program Management Requirements for Honeywell for the Manufacture of Small Reentry Body Inertial Measurement Unit (SRIMU)
QQZ9	1	SMP010710U05	SMP010710U05, Supplier Technical Program Management (STPM) for Support Equipment Suppliers - Updated
QZ187	1	D370408	D370408, LOA - Use of PA STD 8700-Q001A and PA STD 8700-Q002A
QZ238	1	D915700	LMSSC D915700, Supplier Technical Program Management (STPM) Document for Missile System Hardware (including Addendum 1 and Addendum 2) applies.

QZ313	1	OD 65235 Class 2	OD 65235 Supplier Quality Requirements for the Trident D5 Life Extension Program – Class 2 Requirements apply
QZ314	1	OD 65235 Class 3	OD 65235 Supplier Quality Requirements for the Trident D5 Life Extension Program – Class 3 Requirements apply
QZ315	1	OD 65235 Class 4	OD 65235 Supplier Quality Requirements for the Trident D5 Life Extension Program – Class 4 Requirements Apply
QZ320	1	SMP10764U09	SMP10764U09 - Product Assurance Quality Requirements (PAQR) Criteria for Supplier Production Readiness
QZ321	1	SMP010711U09	SMP010711U09 - Supplier Technical Program Management (Quality And Inspection System Requirements) For Suppliers of Nuclear Weapons Security – Shore

QZ156	Q	A268132	A268132, PAWS 32 - Traceability of Raw Materials in Non-Serialized Hardware Items
QZ157	Q	A268133	A268133, PAWS 33 - Reliability Test Data (RTD) for Propulsion and Ordnance Hardware
QZ16	Q	SMP010781U05NC	SMP010781U05NC , Letter of Promulgation and Implementation of LMSSC SMP010781U05 Rev NC, ADDENDUM (EXCEPTIONS) TO LMSSC/ ADDENDUM 2 of D915700
QZ160	Q	A268137	A268137, PAWS 47 - Process & Material Change Control in Non-Serialized Items
QZ161	Q	A268140	A268140, PAWS 30 - Variables Test Data (VTD)
QZ162	Q	A268186	A268186, Special PAWS - Product Assurance Work Statement - Product Quality Provisions for Suppliers of Ordnance Devices
QZ163	Q	A268191	A268191, Special PAWS - Product Quality Provisions - Suppliers of Batteries
QZ164	Q	A268198	A268198, Special PAWS - Supplemental PA Rqmts for Suppliers of MSD Hardware
QZ165	Q	D054159	D054159, Special Tooling Requirements
QZ166	Q	D057311	D057311, LOA - Sundstrand Data/LMSC - PA Rqmts for C4 Interlocks Accelerometer PN 3063028
QZ167	Q	D062101	D062101, Surface Equipment Welding Procedure Certification and Welder Performance Qualification, Revision C
QZ17	Q	SMP011063U05	SMP011063U05, ADDENDUM (EXCEPTIONS) TO d915700 FOR APPLICABLE PROCUREMENTS OF

QZ197	Q	D598154

QZ237	Q	D914110	D914110, LOA - LMSC & Ensign Bickford Co. Pertaining to Procurement Rqmts for Flexible Confined Detonating Cord PN 3063530 Detonating Cord WS 15120 Linear Shaped Charge WS 17888MOU Between Ensign Bickford Aerospace & Defense Company and LMSSC Inspection Stamping at Ensign Bickford Aerospace & Defense Company
QZ24	Q	F120012	F120012, Product Quality Program Rqmts for Trident I Fleet Ballistic Missile Weapon System Propulsion Subcontractors/Suppliers
QZ241	Q	D915701	D915701, PA Quality Rqmts for Electronic Components/Subassemblies.
QZ244	Q	D915702	D915702, PA Quality Requirements for Major Commodities
QZ246	Q	D915703C	D915703C, PA Quality Requirements for Trident II (D5) Connectors
QZ248	Q	D915703-1C	D915703-1C, PA Quality Requirements for G & H PMM Connectors
QZ249	Q	D915704	D915704, PA Quality Rqmts for Nose Cap & Nose Fairing Manufacture
QZ25	Q	F120014	F120014, LOA Btwn LMSC & Teledyne Wah-Chang Albany Pertaining to Procurement Rqmts for D5 PBCS Manifold
QZ250	Q	D915705	D915705, PA Quality Requirements for Trident II Batteries
QZ251	Q	D915706C	D915706C, PA Quality Rqmts for Printed Circuit Boards, Multilayer Boards, Rigid Flex Master Interconnect Board & Flex Cables
QZ252	Q	D915709P	D915709P, PAQR - Black Box Subcontractor Piece Part Rqmts

QZ35	Q	F120060	F120060, PA Quality Rqmts for Reliability Test Data Failure Data Corrective Action Reporting
QZ37	Q	F120062	F120062, PAWS 8 - Reliability Test Data- Failure Data and Corrective Action Reporting
QZ38	Q	F120063	F120063, PAWS 35 - Product Assurance Requirements for Original Weld/Braze Provisions and Revisions
QZ39	Q	F120064	F120064, PAWS 44 - Product Assurance Requirements for "Services" Subcontracts for Maintenance of LMSC Government Funded or Furnished Test Equipment
QZ40	Q	F120065	F120065, PAWS 51H - Lockheed (LMSSC) Source Acceptance
QZ41	Q	F120066	F120066, PAWS 88H - Lockheed (LMSSC) Source Verification
QZ42	Q	F120068	F120068, Letter of Agreement Btwn LMSC & SPL -41 Pertaining to Approval of Letter of Agreement Btwn LMSC & D 5 Hardware Suppliers
QZ43	Q	F120079	F120079, Advanced Procurement (AP) Surveillance Test Program For Electrical Devices
QZ47	Q	F120096	F120096, Storage & Surveillance Plan for Pyrotechnic Materials for use in MK4 Thruster Cartridge PN

QZ99	Q	F120356	F120356, Storage & Surveillance Plan for Linear Variable Differential Transducers. Supplier Location: Moog, Inc.

REVISION LOG

Date	Change	Details
10/17/2006	Added: QZ299	

	Updated: QZ92	Per FBM Request
6/14/2007	Edited: QCF	Edit to wording per FBM Request
6/28/2007	Edited: QCF	Returned to original wording
8/20/2007	Update: QTP	Removed reference to Addendum 1 and 2
10/31/2007	Added: QTD2	Per FBM Request
1/31/2008	Added: QZ317	SMP010708U07 – FBM program specific
2/21/2008	Added: QT12	Seller Rating Test Documentation Twelve Years - per Special Programs Request
	Edited: Q0W	Changed the word "record" to "mark/identify" - per Central Procurement Request
7/28/2008	Added: QZ318	SMP010713U08 – FBM program specific
	Added: QA5	Certification of Conformance Required By LMSSC
9/24/2008	Added: QTC6	Counterfeit Part Avoidance
12/15/2008	Added: QWGC	Work Group Collaboration (Online data submittal)
2/13/2009	Added QZ319	Product Assurance Quality RQMTS For Calibration/Verification Management of Test Equipment (Reflect the creation of SMP010786U06)
	Edited: QB4	Removed "Functional" From Code Text
3/9/2009	Edited: QZ152	Title correction
3/17/2009	Edited: QTP	Edited to align with SAP text
4/7/2009	Edited: QN5	Correction to remove previous revision letters
4/20/2009	Added: QDPA	DPA Identifier Code
4/22/2009	Edited: QTP	Modification per FBM request
6/3/2009	Removed: QD12	Old SCID code used for the TITAN program; Have been directed by customer to not apply code.
	Removed: QASL	Series codes; QASL codes were transitioned to IASL codes back in 2007 and also only applied for internal use.
	Added: Q6Z7	Modification of Q6Z from a 4 to 7 year requirement in support of SBIRS contractual requirements.
	Edited: QTC6	(Counterfeit components) Deleted the word material from the code to further address scope of intended application.
6/9/2009	Added: QNOWGC	Prohibited Data Submittals
	Added: QSTEU	STEU Packaging
6/30/2009	Updated: Q32	Updated to address the marking of qualification hardware
8/24/2009	Edited: QA287	Typo correction
9/14/2009	Removed: QD23, Q28A, Q28B	Codes deactivated; Supporting document M64-119 has been cancelled
	Added: QZ320	SMP010762U08 – FBM Program Specific
	Added: QZ321	SMP010711U09 – FBM Program Specific
	Added: QVT6	To reflect regulatory requirements for 6 year record retention
9/22/2009	Added: QA9	LMSSC PQA Notification of Supplier Changes

	Added: QA10	CLASS 1 or CLASS 2 Changes; GPS3 Program Specific
	Added: QSQAP	QPS3 Quality Assurance Plan; GPS3 Program Specific
	Edited: QAQC09	Included approval requirements for Calibration System.
10/5/2009	Added: QT4F	Counterfeit EEE Part Avoidance, Detection, Mitigation, Disposition (SAE AS5553)
2/16/2010	Edited: QZ72, QZ318	Edited clause text to align with document text
	Edited: QZ109	Edited clause title and text to align with document text
5/4/2010	Added: QM8	3GPS-RQ-09-0080 and 3GPS-RQ-09-0081 for GPS111 for PWB
	Added: QB12	Certificate of Compliance for Subcontract Tin Mitigation
	Updated: QA7	Requirement clarification
5/11/2010	Edited: Q0W	Minor language edits
7/19/2010	Removed: QDV	Code Deactivated
7/26/2010	Added: QLMPC	LM Supplied Paint Coupon Requirements
11/16/2010		

3/8/2011 Edited: QZ204, QZ238, QZ241, QZ253,

3/8/2013 Added: QQ32A

11/17/2015	Removed: Q19B, Q37, Q57, QA2C, QA4H, QAQC05, QAQC07, QAQC10, QAQC12, QAQC18, QAQC19, QAQC30, QAQC31, QB12, QCC, QD13, QD15, QD16, QD5, QD8, QGL, QLT, QP3, QQD4K7, QQMY, QQS5, QQS5C, QQT8, QQTC5, QS11, QS5B, QS7, QT4C, QT4F, QTB9, QTC1, QTC3, QTR	Codes Deactivated
	Edited: QAQC13	Updated text to align with the language required by the Acquisition Compliance matrix
9/26/2016	Removed: QTU	Code Deactivated
	Added: QDTS	Dock To Stock Process
	Added: QB14	Supplier Data Sheet Submittal
	Added: QQBR	Reduced Dimensional Inspection Report
	Updated: QCF	Updated text to include physical and electronic signature
	Updated: QAQC08	Updated text of where contractually required specifications are identified
	Updated: QD27	Updated text to remove reference to DEN 412610
6/5/2017	Added: QBRCD	Barcoded Label Requirement
	Updated: QS8	Updated text to include supplier submittal requirements
9/27/2017	Edited: QT4B, QD4A, QD4B, QD4C, QAQC02	Updated text to standardize verbiage and clarify substitution QMS certification
1/10/2018	Added: QPWB3	PWB Conformance Coupon Inspection - Third Party
	Added: QPQBLM	PWB Conformance Coupon Inspection - LMSSC
5/13/2018	Added: QSP	Special Process Approval and Certification
10/21/2019 *note-v2 is the same version and was only edited for errors	Removed: Q0H, QN2, QVQ, QAQC22, QPMT, QVS, Q14, QQBR, QVU, Q19A, QSTEU, QQVX, QLMPC,.80 (c)- QVU, Q,LTM2CC 0 (/)-12.10 (2Q)-6.10 (0 1 138.4799 479.51 Tm [(Q)-5.40 (e)1.80 ((C)-1.90 (3)1.70 (,)1.80 ( ] TJ 1	

/Artifact [0 0 Tm /Artifact [0 0 Tm /Artifact [0 0 Tm 0 0 Tm 0 0 Tm

Updated: QZ320
Added: Q4M