# LMSSC PACKAGING STANDARD

P-2 Revision 2 Page 1 of 5 04–15–2009

ROD, ETC., IN A TRI-TUBE CONTAINER						
1.0 SCOPE						
2.0 REFERENCES						
3.0 REQUIREMENTS						
NOTE						
CAUTION						
NOTE						

NOTE

P-2

Revision 2

04-15-2009

# **4.0 QUALITY ASSURANCE**

## **5.0 NOTES**

### **Commodity**

$$C_{\mu\mu\nu\mu}$$
,  $C_{\mu\nu\mu\nu}$ 

$$\mathbf{F}_{l}$$
  $\mathbf{r}_{l}$   $\mathbf{r}_{l}$ ,  $\mathbf{C}_{l}$   $\mathbf{r}_{l}$ 

$$P = r, N \cup r$$

$$P_{r_{1}}$$
 . . . . . . . . . . . . . . . . .

$$S \dots, P_{1} \dots$$

$$S_{\mu\nu} T_{\mu\nu} I_{\mu\nu}$$

### **Military/Commercial Specifications**

$$A - A - 1051$$

$$A-A-1898$$
,  $G_{r}$  ,  $1$ ,  $C_{r}$  ,  $C$ ,  $S_{r}$  ,  $1$ ,  $S_{r}$  ,  $L$ ,  $K_{r}$  ...  $B_{r}$ 

ASTM D4727, T CF, 
$$C_{II}$$
  $D_{II}$   $C_{II}$ , SN,  $G_{T}$  200

$$A-A-3174, T$$
 1, C 1,  $G_r$  B

S 
$$P_{LT}$$
  $A-A-3174, T$   $P_{LL}$   $P_{$ 

**P-2** Revision 2

04-15-2009

